


Researchers use deep learning to 'denoise' nanopore data

May 14 2021



Deep learning helps researchers to find hidden features in resistive pulse signals in nanopore sensing of nanoscale objects. Credit: Osaka University

Scientists from the Institute of Scientific and Industrial Research at Osaka University have used machine-learning methods to enhance the signal-to-noise ratio in data collected when tiny spheres are passed through microscopic nanopores cut into silicon substrates. This work may lead to much more sensitive data collection when sequencing DNA or detecting small concentrations of pathogens.

Miniaturization has opened the possibility for a wide range of diagnostic tools, such as point-of-care detection of diseases, to be performed quickly and with very small samples. For example, unknown particles can be analyzed by passing them through nanopores and recording tiny changes in the [electrical current](#). However, the intensity of these signals can be very low, and is often buried under random noise. New techniques for extracting the useful information are clearly needed.

Now, scientists from Osaka University have used [deep learning](#) to "denoise" nanopore data. Most machine learning methods need to be trained with many "clean" examples before they can interpret noisy datasets. However, using a technique called Noise2Noise, which was originally developed for enhancing images, the team was able to improve resolution of noisy runs even though no clean data was available. Deep neural networks, which act like layered neurons in the brain, were utilized to reduce the interference in the data.

"The deep denoising enabled us to reveal faint features in the ionic current signals hidden by random fluctuations," first author Makusu Tsutsui says. "Our algorithm was designed to select features that best represented the input data, thus allowing the computer to detect and

subtract the [noise](#) from the raw data."

The process was repeated many times until the underlying signal was recovered. Essentially, many noisy runs were utilized to produce one clean signal.

"Our method may expand the capability [nanopore](#) sensing for rapid and accurate detection of infection diseases," explains senior author Takashi Washio. "This research may lead to much more accurate diagnostic tests, even when the underlying signal is very weak."

More information: Deep learning-enhanced nanopore sensing of single-nanoparticle translocation dynamics. *Small Methods*, DOI: doi.org/10.1002/smt.202100191

Provided by Osaka University

Citation: Researchers use deep learning to 'denoise' nanopore data (2021, May 14) retrieved 17 April 2024 from <https://techxplore.com/news/2021-05-deep-denoise-nanopore.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--