

Finding control in hard-to-predict systems

May 14 2021



Credit: Pixabay/CC0 Public Domain

Input one, output one; input two, output two; input three; output purple—what kind of system is this? Computer algorithms can exist as non-deterministic systems, in which there are multiple possible outcomes for each input. Even if one output is more likely than another, it doesn't

necessarily eliminate the possibility of putting in three and getting purple instead of three. Now, a research team from Iowa State University has developed a way to control such systems with more predictability. The results were published in *IEEE/CAA Journal of Automatica Sinica*.

"The supervisory control problem for discrete event systems under control involves identifying the [supervisor](#), if one exists," said paper author Ratnesh Kumar, Harpole Professor in the Department of Electrical and Computer Engineering, Iowa State University, U.S.. "If there is a supervisor, if it's synchronously composed with the system, it results in a system that conforms to the control specification."

A discrete event system behaves based on its current state. If the state changes, the value changes. In the example system above, something about the system's state changed to make it take four and produce purple. Kumar's approach examines the system as it currently exists and finding the least fixed-point operator, or the piece that is most easily changed. The act of identifying such a component can result in a new model that acts as the supervisor of the system.

The researchers used quotienting to determine the possible outcomes and build parameters to identify possible controllers. In simple terms, a quotient is the known number of possibilities: Divide 10 by three. The quotient is three, with fractional possibilities. In Kumar's system, each event is referred to as a "plant" and the entire system is understood as a 'warehouse.' The quotient is the plant divided by a specification determined by the warehouse, resulting in multiple possible answers, depending on what the system looks like in the moment.

"Given a plant and the specification of the controlled plant, the quotienting operation generates a new specification describing the obligation on the supervisor such that the plant, when controlled by a supervisor, satisfies the specification," Kumar said.

Say the plant is the input of three, and the controller is purple. The calculus involved in describing the operation produces a new parameter of purple. The controller, or supervisor, is obligated to take the input of three and output purple. If the supervisor does not exist, the quotienting process still results in a supervisory control operation.

"The central tenant of our technique is to develop a quotienting-based technique to decide the existence of supervisor and generate the same if one exists," Kumar said.

The researchers conducted simulations to verify their approach and next plan to investigate their method in systems where only some of the actions are observable.

More information: Samik Basu et al, Control of Non-Deterministic Systems With μ -Calculus Specifications Using Quotienting, *IEEE/CAA Journal of Automatica Sinica* (2021). [DOI: 10.1109/JAS.2021.1003964](https://doi.org/10.1109/JAS.2021.1003964)

Provided by Chinese Association of Automation

Citation: Finding control in hard-to-predict systems (2021, May 14) retrieved 13 March 2024 from <https://techxplore.com/news/2021-05-hard-to-predict.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
