


Researchers develop method for increasing the capacity of next-generation metal-ion battery cathode materials

May 17 2021



The next-generation metal-ion battery capacity increasing. Credit: Skoltech

Scientists at Skoltech Center for Energy Science and Technology have developed an enriched and scalable approach for increasing the capacity of a broad range of metal-ion battery cathode materials. These findings, published in *Journal of Materials Chemistry A*, can be useful for developing a new generation of advanced rechargeable energy storage devices.

Creation of modern lithium-ion batteries became possible owing to several scientific breakthroughs. One of them, made by a Nobel laureate John B. Goodenough, was the development of [cathode](#) materials that contain reversibly extractable lithium ions. Implementation of these materials helped to avoid unsafe anodes, such as lithium metal. However, problems including limited capacity, moderate cycling stability, low charge-discharge rate, issues with environmental friendliness, etc, still had to be solved.

Over the decades, researchers have been putting tremendous effort into developing better battery materials. As a result, various cathode materials with attractive properties have been proposed. However, the batteries that rely on these materials can often reach their full energy density only when they contain unsafe, highly reactive anodes with extractable cations. It is caused by the lack of mobile metal ions in the cathodes. This issue leads to the limited capacity and, in many cases, complicates practical implementation of otherwise appealing materials.

Skoltech Ph.D. student Roman Kapaev under supervision of Prof. Keith Stevenson showed how this problem can be solved for a broad range of

materials. It was proposed to treat the cathodes with solutions of reducing agents, which are alkali metal salts derived from aromatic compounds, for example, naphthalene or phenazine.

An important advantage of the approach is its scalability. The process requires no sophisticated conditions and is relatively safe. Additionally, the reducing agents can be recycled after they react with the cathodes because their redox chemistry is reversible. These features make the method promising for large-scale applications.

This approach is suitable for a broad spectrum of organic and inorganic battery materials. Moreover, it turned out to be applicable not only for [lithium-ion batteries](#), but also for sodium- and potassium-ion batteries, which are potentially more sustainable and lower-cost energy storage devices. It was possible to control the content of metal ions in the cathodes by adjusting the amount of the reducing agents or their oxidation potentials.

"The approach can serve as a powerful toolkit, which may be used to improve the performance of various battery materials," says Roman Kapaev. "It is also a straightforward and inexpensive method with recyclable reagents, so we believe that it is suitable for large scale practical applications."

More information: Roman R. Kapaev et al, Solution-based chemical pre-alkaliation of metal-ion battery cathode materials for increased capacity, *Journal of Materials Chemistry A* (2021). [DOI: 10.1039/d1ta01460a](https://doi.org/10.1039/d1ta01460a)

Provided by Skolkovo Institute of Science and Technology

Citation: Researchers develop method for increasing the capacity of next-generation metal-ion battery cathode materials (2021, May 17) retrieved 17 April 2024 from <https://techxplore.com/news/2021-05-method-capacity-next-generation-metal-ion-battery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.