


Using a virtual linkage representation algorithm to improve functionality of a robot hand

May 20 2021, by Bob Yirka



A team of researchers at Yale University has developed a new kind of algorithm to improve the functionality of a robot hand. In their paper published in the journal *Science Robotics*, the group describes their algorithm and then demonstrate, via videos, how it can be used.

As the researchers note, most [robot hands](#) rely on data-intensive programming to achieve their results—an approach that works well for single-function tasks, but not so well when the environment in which it is operating changes. To address this problem, the researchers developed what they call a virtual linkage representation (VLR) [algorithm](#). It is an [analytical method](#) that maps the desired motion to points on an object to be manipulated, which the team describes as making linkages. Using their approach requires less information about the environment—instead of multiple sensors, it needs just one camera mounted on the [hand](#). To achieve a particular goal, the robot hand continually refines its movement predictions from the outset (along with resampling) until it reaches near-convergence.

The researchers tested their algorithm using the Yale Model O hand—a three-fingered, open-source robotic hand that has been designed for use in research efforts. In its [initial state](#), it has no tactile sensors or encoders. The first experiment involved directing the hand to grab an object like a tomato while the researchers monitored its parameters. They next tested the hand with a wine glass, a box of Jell-O, a screwdriver and a Lego block. Manipulation was allowed to continue until VLR convergence. They next used the robot hand to draw the letter "O" and followed that up by having it write the word "SCIENCE." They then demonstrated the ability of the robot hand to control the rotation of an object by having it play a handheld marble maze game.

The researchers next demonstrated the superiority of their approach over prior methods by having the robot hand carry out a cup-stacking task in which smaller cups were inserted into larger cups—using a conventional approach, the robot hand failed at the task. When employing the VLR algorithm, however, the [robot](#) hand was able to successfully pick up and stack five cups.

More information: Kaiyu Hang et al, Manipulation for self-

Identification, and self-Identification for better manipulation, *Science Robotics* (2021). [DOI: 10.1126/scirobotics.abe1321](https://doi.org/10.1126/scirobotics.abe1321)

© 2021 Science X Network

Citation: Using a virtual linkage representation algorithm to improve functionality of a robot hand (2021, May 20) retrieved 23 April 2024 from <https://techxplore.com/news/2021-05-virtual-linkage-representation-algorithm-functionally.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.