


A new model enables the recreation of the family tree of complex networks

June 1 2021



Credit: CC0 Public Domain

In a new study published in *Proceedings of the National Academy of Sciences (PNAS)*, a research team of the Institute of Complex Systems of the University of Barcelona (UBICS) analyzed the time evolution of real complex networks and developed a model in which the emergence of new nodes can be related to pre-existing nodes, similarly to the evolution of species in biology.

This new study analyzes the [time](#) evolution of the citation network in [scientific journals](#) and the international trade network over a 100-year period. According to M. Ángeles Serrano, ICREA researcher at UBICS, "What we observe in these real networks is that both grow in a self-

similar way, that is, their connectivity properties remain invariable over time, so that the network structure is always the same, while the number of nodes increases."

This self-similarity in growth, which is surprising per se, has been explained by the researchers using a model named geometric branching growth (GBG). In this model, the new nodes come from pre-existing nodes, in a similar way to family trees. For instance, in the world trade network, countries are nodes, and therefore they branch off, and transactions correspond to the links. The key property that characterizes the evolution of systems in study, and therefore the model, is inheritance. In the example, when a country is divided, the new sovereign countries inherit the richness and the trade partners of the original state.

This [model](#) is related to a previous study that enabled the production of self-similar reduced versions of [complex networks](#), through a geometric renormalization. In these previous studies, scientists found that the connectivity in complex networks at different time scales is regulated by the same principles. "What we see in the new paper," notes the researcher, "is that these same principles remain over time too."

When both models are combined—GBG and geometric renormalization—we can create copies of the original network in a wide range of measures, larger and smaller than the original one. "This way, we could predict descendant and ascendant nodes, or study phenomena that depend on the size of the [network](#)," highlights Serrano. "Networks present a fractal structure in time and space," the expert adds.

These branching processes are the base of the complex evolution of many real systems. "In short, both models enable us to understand interactions in real systems at different scales, one of the keys to understand and predict what their [evolution](#) will be like," concludes the

expert.

More information: Muhua Zheng et al, Scaling up real networks by geometric branching growth, *Proceedings of the National Academy of Sciences* (2021). [DOI: 10.1073/pnas.2018994118](https://doi.org/10.1073/pnas.2018994118)

Provided by University of Barcelona

Citation: A new model enables the recreation of the family tree of complex networks (2021, June 1) retrieved 23 April 2024 from

<https://techxplore.com/news/2021-06-enables-recreation-family-tree-complex.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.