





Sustainable, implantable electronics move one step closer

June 25 2021




Anatomy of the electric organ of the ray *Tetronarce nobiliana* and design of a paper-gel electric organ. a) *T. nobiliana* has a flat, disc-shaped body up to 1 m in diameter. A pair of electric organs are located on either side of the ray's body. Each organ is a parallel arrangement of transverse columns consisting of hundreds to thousands of electrocytes in series (inset, left). b) Principle of the paper-gel electric organ. Sheets of paper, infused with hydrogel, are stacked in a repeating tetrameric sequence to generate additive potentials (inset, right). The red hydrogel stores a concentrated salt solution. The green hydrogel is selective for permeation of cations. The blue hydrogel contains a dilute salt solution. The yellow hydrogel is selective for permeation of anions. A scanning electron microscopy (SEM) image (inset, left) shows the cross section of a single paper gel. c) Stacking these tetrameric gel cells in series and in parallel linearly scales voltage and current, respectively. Credit: University of Fribourg

Bio-inspired electricity sources could power wearable or implantable electronics in the future, even running on metabolic waste according to new research from the Adolphe Merkle Institute's BioPhysics group at the University of Fribourg.

The group, led Prof. Michael Mayer, has focused on batteries that use differences in salt concentrations, known as an ion gradient, to produce electrical current while also seeking sustainable methods to generate such differences. One inspiration has been strongly [electric fish](#), which use gradients of ions within their bodies to generate stunning external electrical discharges. Mayer's team had previously developed an artificial electric organ inspired by the electric eel that generated electricity from ion gradients within stacked hydrogels, exceeding 100 volts. However, the current of this [power source](#) was too low to [power](#) standard electronics. For their next steps, the researchers chose the Atlantic torpedo ray's unique morphology as the inspiration. This ray is the most

powerful electric fish known and can produce pulses of over 1 kW.

They developed a hybrid material of hydrogel-infused paper to create, organize, and reconfigure stacks of thin, arbitrarily large gel films with differences in salt concentration in series and in parallel. Their results, published in the journal *Advanced Materials*, showed that the [electrical power](#) harvested was more than 60 times higher when compared with the original eel-inspired design, making it possible to run electronic devices. It also demonstrated that the biological mechanism of generating significant electrical power is possible with benign and soft materials in a portable size.



The carbon dioxide from breath reacts with an amine solution to generate cation and anions. Charge selective membranes only allow positive charges to diffuse in one direction and negative charges to diffuse in the opposite direction,

generating an electric potential that can be used to power electronic devices.
Credit: University of Fribourg

In another study, the AMI BioPhysics group has investigated the development of a sustainable process that could be used to recharge a bio-inspired battery, using carbon dioxide exhaled by a person breathing as an example. As revealed in the journal *Advanced Science*, the ability to generate an ion gradient from breath shows that there are achievable ways for a user to passively supply fuel for a power source. As a proof of concept, the researchers developed a prototype device that harvests enough energy from a breath-generated ion gradient to power small [electronic devices](#), such as a light-emitting diode.

"This work is about using a [metabolic waste](#) product in conjunction with ion-gradient-based power generation to develop a wearable or implantable power source that could potentially be recharged indefinitely," explains Mayer. "This is one more step towards having a battery that never needs to be plugged in, recharging passively, relying on ion transport rather than on chemical reactions to make it happen."

The ongoing integration of technology into living organisms requires some form of power source that is biocompatible, flexible, and able to draw energy from inside a biological system. A self-charging power source for implantable devices such as heart pacemakers, sensors, drug delivery pumps, or prosthetics is an obvious application. Generating electricity inside the body would also eliminate the need for replacement surgery, and may also provide sustained power for wearable devices such as electrically active contact lenses with an integrated display.

More information: Anirvan Guha et al, Powering Electronic Devices from Salt Gradients in AA-Battery-Sized Stacks of Hydrogel-Infused

Paper, *Advanced Materials* (2021). [DOI: 10.1002/adma.202101757](https://doi.org/10.1002/adma.202101757)

Trevor J. Kalkus et al, The Green Lean Amine Machine: Harvesting Electric Power While Capturing Carbon Dioxide from Breath, *Advanced Science* (2021). [DOI: 10.1002/advs.202100995](https://doi.org/10.1002/advs.202100995)

Provided by University of Fribourg

Citation: Sustainable, implantable electronics move one step closer (2021, June 25) retrieved 8 September 2024 from

<https://techxplore.com/news/2021-06-sustainable-implantable-electronics-closer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.