

Air-powered computer memory helps soft robot control movements

July 16 2021, by Holly Ober



An 8-bit pneumatic RAM chip used to help a soft robot control its movements. The chip uses microfluidic valves to control airflow instead of electronic transistors. Credit: William Grover/UCR

Engineers at UC Riverside have unveiled an air-powered computer memory that can be used to control soft robots. The innovation overcomes one of the biggest obstacles to advancing soft robotics: the fundamental mismatch between pneumatics and electronics. The work is



published in the open-access journal, PLOS One.

Pneumatic soft robots use pressurized air to move soft, rubbery limbs and grippers and are superior to traditional rigid robots for performing delicate tasks. They are also safer for humans to be around. Baymax, the healthcare companion <u>robot</u> in the 2014 animated Disney film, Big Hero 6, is a pneumatic robot for good reason.

But existing systems for controlling pneumatic soft robots still use electronic valves and computers to maintain the position of the robot's moving parts. These electronic parts add considerable cost, size, and power demands to soft robots, limiting their feasibility.

To advance <u>soft robotics</u> toward the future, a team led by bioengineering doctoral student Shane Hoang, his advisor, bioengineering professor William Grover, computer science professor Philip Brisk, and mechanical engineering professor Konstantinos Karydis, looked back to the past.

"Pneumatic logic" predates electronic computers and once provided advanced levels of control in a variety of products, from thermostats and other components of climate control systems to player pianos in the early 1900s. In pneumatic logic, air, not electricity, flows through circuits or channels and <u>air pressure</u> is used to represent on/off or true/false. In modern computers, these logical states are represented by 1 and 0 in code to trigger or end electrical charges.

Pneumatic soft robots need a way to remember and maintain the positions of their moving parts. The researchers realized that if they could create a pneumatic logic "memory" for a soft robot, they could eliminate the electronic memory currently used for that purpose.

The researchers made their pneumatic random-access memory, or RAM,



chip using microfluidic valves instead of electronic transistors. The microfluidic valves were originally designed to control the flow of liquids on microfluidic chips, but they can also control the flow of air. The valves remain sealed against a pressure differential even when disconnected from an air supply line, creating trapped pressure differentials that function as memories and maintain the states of a robot's actuators. Dense arrays of these valves can perform advanced operations and reduce the expensive, bulky, and power-consuming electronic hardware typically used to control pneumatic robots.

After modifying the microfluidic valves to handle larger air flow rates, the team produced an 8-bit pneumatic RAM chip able to control larger and faster-moving soft robots, and incorporated it into a pair of 3D-printed rubber hands. The pneumatic RAM uses <u>atmospheric-pressure</u> air to represent a "0" or FALSE value, and vacuum to represent a "1" or TRUE value. The soft robotic fingers are extended when connected to atmospheric pressure and contracted when connected to vacuum.

By varying the combinations of atmospheric pressure and vacuum within the channels on the RAM chip, the researchers were able to make the robot play notes, chords, and even a whole song—"Mary Had a Little Lamb"—on a piano.

In theory, this system could be used to operate other robots without any electronic hardware and only a battery-powered pump to create a vacuum. The researchers note that without positive pressure anywhere in the system—only normal atmospheric air pressure— there is no risk of accidental overpressurization and violent failure of the robot or its control system. Robots using this technology would be especially safe for delicate use on or around humans, such as wearable devices for infants with motor impairments.

More information: Shane Hoang et al, A pneumatic random-access



memory for controlling soft robots, *PLOS ONE* (2021). DOI: 10.1371/journal.pone.0254524

Provided by University of California - Riverside

Citation: Air-powered computer memory helps soft robot control movements (2021, July 16) retrieved 2 May 2024 from https://techxplore.com/news/2021-07-air-powered-memory-soft-robot-movements.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.