


# Team uses AI to predict 3D printing processes

July 1 2021, by Aaron Dubrow



Melt pool shape and the temperature and melt pool flow velocity predicted by a physics-informed neural network (PINN) for case A, B and C at quasi-steady state (2 microseconds). Credit: Qiming Zhu, Zeliang Liu, Jinhui Yan

Additive manufacturing has the potential to allow one to create parts or products on demand in manufacturing, automotive engineering, and even in outer space. However, it's a challenge to know in advance how a 3D printed object will perform, now and in the future.

Physical experiments—especially for metal additive [manufacturing](#) (AM)—are slow and costly. Even modeling these systems computationally is expensive and time-consuming.

"The problem is multi-phase and involves gas, liquids, solids, and phase transitions between them," said University of Illinois Ph.D. student Qiming Zhu. "Additive manufacturing also has a wide range of spatial and temporal scales. This has led to large gaps between the physics that happens on the small scale and the real product."


Zhu, Zeliang Liu (a [software engineer](#) at Apple), and Jinhui Yan (professor of Civil and Environmental Engineering at the University of Illinois), are trying to address these challenges using [machine learning](#). They are using [deep learning](#) and neural networks to predict the outcomes of complex processes involved in additive manufacturing.

"We want to establish the relationship between processing, structure, properties, and performance," Zhu said.

Current neural network models need large amounts of data for training. But in the additive manufacturing field, obtaining high-fidelity data is difficult, according to Zhu. To reduce the need for data, Zhu and Yan are pursuing "physics informed neural networking," or PINN.

"By incorporating conservation laws, expressed as partial differential equations, we can reduce the amount of data we need for training and

advance the capability of our current models," he said.



A fully connected deep neural network for metal additive manufacturing. Credit: Qiming Zhu, Zeliang Liu, Jinhui Yan

Using the Frontera and Stampede2 supercomputers at the Texas Advanced Computing Center (the #10 and #36 fastest in the world, as of June 2021), Zhu and Yan simulated the dynamics of two benchmark experiments: an example of 1D solidification, when solid and liquid metals interact; and an example of [laser beam](#) melting tests taken from the 2018 NIST Additive Manufacturing Benchmark Test Series.

In the 1D solidification case, they input data from experiments into their neural network. In the laser beam melting tests, they used experimental data as well as results from computer simulations. They also developed a "hard" enforcement method for boundary conditions, which, they say, is equally important in the problem-solving.

The team's neural network model was able to recreate the dynamics of the two experiments. In the case of the NIST Challenge, it predicted the


temperature and melt pool length of the experiment within 10% of the actual results. They trained the model on data from 1.2 to 1.5 microseconds and made predictions at further time steps up to 2.0 microseconds.

The team published their results in *Computational Mechanics* in January 2021.

"This is the first time that neural networks have been applied to metal additive manufacturing process modeling," Zhu said. "We showed that physics-informed machine learning, as a perfect platform to seamlessly incorporate data and physics, has big potential in the additive manufacturing field."

Zhu sees engineers in the future using [neural networks](#) as fast prediction tools to provide guidance on the parameter selection for the additive manufacturing process—for instance, the speed of the laser or the temperature distribution—and to map the relationships between additive manufacturing process parameters and the properties of the final product, such as its surface roughness.

"If your client requires a specific property, then you'll know what you should use for your manufacturing process parameters," Zhu said.



Comparison of the predictions of the temperature and melt pool fluid dynamics of finite element method (FEM), physics-informed neural network (PINN) and experiment for case B (195 W, 0.8 m/s) at quasi-steady state (2 microseconds) when the melt pool shape is not changing. Left: FEM prediction. Middle: PINN prediction. Right: Thermal video frame based on radiance temperature from experiment. Credit: Qiming Zhu, Zeliang Liu, Jinhui Yan

In a separate paper in *Computer Methods in Applied Mechanics and Engineering* published online in May 2021, Zhu and Yan proposed a modification of the existing finite element method framework used in [additive](#) manufacturing to see if their technique could get better predictions over existing benchmarks.

Mirroring a recent [additive manufacturing](#) experiment from Argonne National Lab involving a moving laser, the researchers showed that simulations, performed on Frontera, differed in depth from those in the experiment by less than 10.3% and captured the common experimentally-observed chevron-type shape on the metal top surface.

Zhu and Yan's research benefits from the continued growth of computing technologies and federal investment in high performance computing.

Frontera not only speeds up studies such as theirs, it opens the door to machine and deep learning studies in fields where training data is not widely available, broadening the potential of AI research.

"The most exciting point is when you see that your model can predict the future using only a small amount of existing data," Zhu said. "It's somehow learning about the evolution of the process."

"Previously, I was not very confident on whether we'd be able to predict with good accuracy over temperature, velocity, and geometry of the gas-metal interface. We showed that we're able to make nice data inferences."

**More information:** Qiming Zhu et al, Machine learning for metal additive manufacturing: predicting temperature and melt pool fluid dynamics using physics-informed neural networks, *Computational Mechanics* (2021). [DOI: 10.1007/s00466-020-01952-9](https://doi.org/10.1007/s00466-020-01952-9)

Qiming Zhu et al, A mixed interface-capturing/interface-tracking formulation for thermal multi-phase flows with emphasis on metal additive manufacturing processes, *Computer Methods in Applied Mechanics and Engineering* (2021). [DOI: 10.1016/j.cma.2021.113910](https://doi.org/10.1016/j.cma.2021.113910)

Provided by University of Texas at Austin

Citation: Team uses AI to predict 3D printing processes (2021, July 1) retrieved 20 April 2024 from <https://techxplore.com/news/2021-07-team-ai-3d.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.