

When faces are partially covered, neither people nor algorithms are good at reading emotions

August 5 2021, by Harisu Abdullahi Shehu, Hedwig Eisenbarth, Will Browne



Credit: Andrea Piacquadio from Pexels

Artificial systems such as homecare robots or driver-assistance



technology are becoming more common, and it's timely to investigate whether people or algorithms are better at reading emotions, particularly given the added challenge brought on by face coverings.

In our recent <u>study</u>, we compared how face <u>masks</u> or sunglasses affect our ability to determine different emotions compared with the accuracy of artificial systems.

We presented images of emotional facial expressions and added two different types of masks—the full mask used by frontline workers and a recently introduced mask with a transparent window to allow lip reading.

Our findings show algorithms and people both struggle when faces are partially obscured. But artificial systems are more likely to misinterpret emotions in unusual ways.

Artificial systems performed significantly better than people in recognizing emotions when the face was not covered—98.48% compared to 82.72% for seven different types of emotion.

But depending on the type of covering, the accuracy for both people and artificial systems varied. For instance, sunglasses obscured fear for people while partial masks helped both people and artificial systems to identify happiness correctly.

Importantly, people classified unknown expressions mainly as neutral, but artificial systems were less systematic. They often incorrectly selected anger for images obscured with a full mask, and either anger, happiness, neutral, or surprise for partially masked expressions.





The study used full and partial masks and sunglasses to obscure parts of the face. Author provided

Decoding facial expressions

Our ability to recognize emotion uses the visual system of the brain to interpret what we see. We even have an area of the brain specialized for face recognition, known as the fusiform face area, which helps interpret information revealed by people's faces.

Together with the context of a particular situation (<u>social interaction</u>, speech and <u>body movement</u>) and our understanding of past behaviors and sympathy towards our own feelings, we can decode how people feel.

A system of <u>facial action units</u> has been proposed for decoding emotions based on facial cues. It includes units such as "the cheek raiser" and "the lip corner puller," which are both considered part of an expression of happiness.

In contrast, artificial systems analyze pixels from images of a face when categorizing emotions. They pass pixel intensity values through a network of filters mimicking the human visual system.

The finding that artificial systems misclassify emotions from partially



obscured faces is important. It could lead to unexpected behaviors of robots interacting with people wearing <u>face masks</u>.

Imagine if they misclassify a negative emotion, such as anger or sadness, as a positive emotional expression. The artificial systems would try to interact with a person taking actions on the misguided interpretation they are happy. This could have detrimental effects for the safety of these artificial systems and interacting humans.



Can you read the researchers' emotion from their covered faces? Both artificial systems and people are compromised in categorising emotions when faces are obscured. Author provided

Risks of using algorithms to read emotion



Our research reiterates that algorithms are susceptible to biases in their judgment. For instance, the performance of artificial systems is greatly affected when it comes to categorizing emotion from natural images. Even just the sun's angle or shade can influence outcomes.

Algorithms can also be racially biased. As previous studies have found, even a small <u>change to the color</u> of the image, which has nothing to do with <u>emotional</u> expressions, can lead to a drop in performance of algorithms used in artificial systems.

As if that wasn't enough of a problem, even <u>small visual perturbations</u>, imperceptible to the human eye, can cause these systems to misidentify an input as something else.

Some of these misclassification issues can be addressed. For instance, <u>algorithms can be designed</u> to consider emotion-related features such as the shape of the mouth, rather than gleaning information from the color and intensity of pixels.

Another way to address this is by changing the <u>training data</u> <u>characteristics</u>—oversampling the training data so that algorithms mimic human behavior better and make less extreme mistakes when they do misclassify an expression.

But overall, the performance of these systems drops when interpreting images in real-world situations when faces are partially covered.

Although robots may claim higher than human accuracy in emotion recognition for static images of completely visible <u>faces</u>, in real-world situations that we experience every day, their performance is still not human-like.

This article is republished from <u>The Conversation</u> under a Creative



Commons license. Read the original article.

Provided by The Conversation

Citation: When faces are partially covered, neither people nor algorithms are good at reading emotions (2021, August 5) retrieved 26 April 2024 from <u>https://techxplore.com/news/2021-08-partially-people-algorithms-good-emotions.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.