


# These robots can move your couch

August 24 2021, by Michael Miller

---



In Ou Ma's Intelligent Robotics and Autonomous Systems Lab, he and his students are engineering robots to work independently on tasks that require cooperation. Credit: Colleen Kelley/UC Creative + Brand

To train robots how to work independently but cooperatively, researchers at the University of Cincinnati gave them a relatable task: Move a couch.

If you've ever helped someone move furniture, you know it takes coordination—simultaneously pushing or pulling and reacting based on what your helper is doing. That makes it an ideal problem to examine collaboration between robots, said Andrew Barth, a doctoral student in UC's College of Engineering and Applied Science.

"It's a good metaphor for cooperation," Barth said.

In the Intelligent Robotics and Autonomous Systems Lab of UC aerospace engineering professor Ou Ma, student researchers developed [artificial intelligence](#) to train robots to work together to move a couch—or in this case a long rod that served as a stand-in—around two obstacles and through a narrow door in [computer simulations](#).

"We made it a little more difficult on ourselves. We want to accomplish the task with as little communication as possible among the robots," student Barth said.

He was the lead author of a study on the project published in the journal *Intelligent Service Robotics*. Professor Ma, UC doctoral student Yufeng Sun and UC senior research associate Lin Zhang were co-authors.

Neither robot directed the other. And the two robots didn't share their strategy in advance to complete the task. Instead, they turned to an artificial intelligence called genetic [fuzzy logic](#). Fuzzy logic is an intelligent control technique that mimics human reasoning by replacing a simple binary classification (yes, no) with degrees of right or wrong. Genetic algorithms modify individual solutions to "learn" from past results to optimize performance over time.

"Ultimately, we want to expand this to 10 or more robots working cooperatively on a project," Barth said. "If you want to build a gigantic habitat in space, say, you'll need a lot of robots working together. But if

you were relying on a communications network and it goes down, then your whole project is done."

If robots can work independently, losing one won't make much difference. The others can compensate to complete the mission, Barth said.



UC aerospace engineering graduate students Andrew Barth, left, and Yufeng Sun work on robotics projects in professor Ou Ma's lab. Credit: Colleen Kelley/UC Creative + Brand

Robots were given the task of carrying the virtual couch around two obstacles and through a narrow door. The robots successfully completed

the task 95 percent of the time in simulations.

More importantly, the robot work partners were 93 percent successful in a completely new scenario—with two new unfamiliar obstacles and a target door in a different location. And the robots had nearly equal success without retraining, even when researchers changed other factors such as the size of the "couch."

"If you can train robots to work semi-independently with as little information as possible, then you made your system more robust to that failure and made it easier for large groups to collaborate," Barth said.

"Our long-term goal is for multiple robots to be able to cooperate to perform difficult tasks—like moving furniture," Ma said.

Robotics have come a long way in the past 20 years, contributing to industry, space exploration and commerce.

Researchers are working hard to improve human safety around robots, which can boost productivity. Likewise, robots that can work cooperatively would create huge opportunities, Ma said.

"There are a host of applications. Any place you have jobs that multiple people are doing in the future, you could have multiple robots doing," Ma said. "Currently, most robots work alone. But in the future we'll need multiple robots working together just like people do together now."

The control system he and his students are developing is scalable, which means they can add any number of robots to a task.

"And you don't need to retrain them if suddenly it's just four or six," he said. "If one or two fail, the rest can carry on. That's the key."

Plus, you don't need to reward your [robot](#) helpers with pizza.

**More information:** Andrew Barth et al, Genetic fuzzy-based method for training two independent robots to perform a cooperative task, *Intelligent Service Robotics* (2021). [DOI: 10.1007/s11370-021-00379-2](https://doi.org/10.1007/s11370-021-00379-2)

Provided by University of Cincinnati

Citation: These robots can move your couch (2021, August 24) retrieved 8 May 2024 from <https://techxplore.com/news/2021-08-robots-couch.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--