


# Wind turbine night noise

August 18 2021



Diurnal and seasonal variation of AM characteristics. (a) Diurnal variation of AM prevalence. Thicker lines are the average trend over the year for three locations. Light lines indicate the trend for each month. Credit: Adelaide Institute for Sleep Health, Flinders University

With wind generation one of the fastest-growing renewable energy

sectors in the world, Flinders University experts are using machine learning and other signal processing techniques to characterize annoying noise features from wind farms.

Two new publications from the ongoing Wind Farm Noise Study take another step towards improving wind turbine [noise](#) assessment methods, guidelines and wind turbine design to make [wind energy](#) more acceptable to surrounding communities.

The new studies find that night-time 'swoosh' sound—technical referred to as '[amplitude modulation](#)' (AM)—from wind turbines is likely to be heard by neighboring residents up to five times more often than during day-light hours, depending on [wind direction](#), season and wind farm distance.

For the first time, the research led by Flinders University Ph.D. candidate Duc Phuc ('Phuc') Nguyen and acoustic expert Dr. Kristy Hansen has combined long-term monitoring of wind farm noise with [machine learning](#) and available knowledge to quantify and characterize AM in wind turbine noise.

"We found that the amount of amplitude modulation present during the daytime versus night-time varies substantially occurring two to five times more often during the night-time compared to the daytime," says Nguyen.

"The noise seems to worsen after sunset when amplitude modulation can be detected for up to 60% of the night-time at distances around 1 km from a wind farm.

"At greater than 3 km, amplitude modulation also occurs for up to 30% of the night-time."

The Wind Farm Noise Study, based at the Adelaide Institute for Sleep health at Flinders University, is investigating noise characteristics and sleep disturbances at residences located near [wind farms](#). The association between wind turbine noise and adverse effects on humans is an ongoing debate.

Dr. Hansen says the directional nature of wind turbine noise means residents living in downwind and crosswind conditions are likely to be more disturbed by wind turbines.

"We found that AM occurs most often during these wind directions," she says. "Using these recent advances in machine learning, we have been able to develop an AM detection method that has a predictive power close to the practical limit set by a human listener".

"This includes the noise that increases and decreases as the blades rotate, or AM, including a 'swoosh' sound, which further contributes to the negative effects of [wind](#) turbine noise.

"These studies advance our ability to measure and monitor the noise from [wind turbines](#) that is likely to be more annoying than other noise types at the same level."

The studies were published in *Applied Acoustics* and *Measurement*.

**More information:** Phuc D. Nguyen et al, Benchmark characterisation and automated detection of wind farm noise amplitude modulation, *Applied Acoustics* (2021). [DOI: 10.1016/j.apacoust.2021.108286](https://doi.org/10.1016/j.apacoust.2021.108286)

Phuc D. Nguyen et al, Long-term quantification and characterisation of wind farm noise amplitude modulation, *Measurement* (2021). [DOI: 10.1016/j.measurement.2021.109678](https://doi.org/10.1016/j.measurement.2021.109678)

Provided by Flinders University

Citation: Wind turbine night noise (2021, August 18) retrieved 17 April 2024 from <https://techxplore.com/news/2021-08-turbine-night-noise.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.