

Deep learning helps to predict traffic crashes before they happen

October 13 2021, by Rachel Gordon



A dataset that was used to create crash-risk maps covered 7,500 square kilometers from Los Angeles, New York City, Chicago and Boston. Among the four cities, L.A. was the most unsafe, since it had the highest crash density, followed by New York City, Chicago and Boston. Credit: MIT CSAIL

Today's world is one big maze, connected by layers of concrete and

asphalt that afford us the luxury of navigation by vehicle. For many of our road-related advancements—GPS lets us fire fewer neurons thanks to map apps, cameras alert us to potentially costly scrapes and scratches, and electric autonomous cars have lower fuel costs—our safety measures haven't quite caught up. We still rely on a steady diet of traffic signals, trust, and the steel surrounding us to safely get from point A to point B.


To get ahead of the uncertainty inherent to crashes, scientists from MIT's Computer Science and Artificial Intelligence Laboratory (CSAIL) and the Qatar Center for Artificial Intelligence developed a [deep learning model](#) that predicts very high-resolution [crash risk](#) maps. Fed on a combination of historical crash data, [road](#) maps, [satellite imagery](#), and GPS traces, the risk maps describe the expected number of crashes over a period of time in the future, to identify [high-risk areas](#) and predict future crashes.

Typically, these types of risk maps are captured at much lower resolutions that hover around hundreds of meters, which means glossing over crucial details since the roads become blurred together. These maps, though, are 5x5 meter grid cells, and the higher resolution brings newfound clarity: The scientists found that a highway road, for example, has a higher risk than nearby residential roads, and ramps merging and exiting the highway have an even higher risk than other roads.

"By capturing the underlying risk distribution that determines the probability of future crashes at all places, and without any [historical data](#), we can find safer routes, enable auto insurance companies to provide customized insurance plans based on driving trajectories of customers, help [city planners](#) design safer roads, and even predict future crashes," says MIT CSAIL Ph.D. student Songtao He, a lead author on a new paper about the research.

Even though car crashes are sparse, they cost about 3 percent of the

world's GDP and are the leading cause of death in children and young adults. This sparsity makes inferring maps at such a high resolution a tricky task. Crashes at this level are thinly scattered—the average annual odds of a crash in a 5x5 grid cell is about one-in-1,000—and they rarely happen at the same location twice. Previous attempts to predict crash risk have been largely "historical," as an area would only be considered high-risk if there was a previous nearby crash.



To evaluate the model, the scientists used crashes and data from 2017 and 2018, and tested its performance at predicting crashes in 2019 and 2020. Many locations were identified as high-risk, even though they had no recorded crashes, and also experienced crashes during the follow-up years. Credit: MIT CSAIL

The team's approach casts a wider net to capture critical data. It identifies high-risk locations using GPS trajectory patterns, which give information about density, speed, and direction of traffic, and satellite imagery that describes road structures, such as the number of lanes, whether there's a shoulder, or if there's a large number of pedestrians. Then, even if a high-risk area has no recorded crashes, it can still be identified as high-risk, based on its traffic patterns and topology alone.

To evaluate the model, the scientists used crashes and data from 2017 and 2018, and tested its performance at predicting crashes in 2019 and 2020. Many locations were identified as high-risk, even though they had no recorded crashes, and also experienced crashes during the follow-up years.

"Our model can generalize from one city to another by combining multiple clues from seemingly unrelated data sources. This is a step toward general AI, because our model can predict crash maps in uncharted territories," says Amin Sadeghi, a lead scientist at Qatar Computing Research Institute (QCRI) and an author on the paper. "The model can be used to infer a useful crash map even in the absence of historical crash data, which could translate to positive use for city planning and policymaking by comparing imaginary scenarios."

The dataset covered 7,500 square kilometers from Los Angeles, New York City, Chicago and Boston. Among the four cities, L.A. was the

most unsafe, since it had the highest crash density, followed by New York City, Chicago, and Boston.

"If people can use the risk map to identify potentially high-risk road segments, they can take action in advance to reduce the risk of trips they take. Apps like Waze and Apple Maps have incident feature tools, but we're trying to get ahead of the crashes—before they happen," says He.

More information: Inferring high-resolution traffic accident risk maps based on satellite imagery and GPS trajectories.

openaccess.thecvf.com/content/.../ICCV_2021_paper.pdf

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Deep learning helps to predict traffic crashes before they happen (2021, October 13) retrieved 14 April 2024 from <https://techxplore.com/news/2021-10-deep-traffic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
