

# How long can fiber reinforced polymer sustain concrete structures? Scientists answer

October 15 2021

**13 Years in the Making: Studying the Long-Term Durability of Concrete Strengthened with Fiber Reinforced Polymer**

Fiber reinforced polymer (FRP) is used to externally

- Strengthen
- Repair
- Retrofit existing concrete structures

The long-term durability of the chemical bonding between FRP and concrete under sustained loads and different environmental conditions is unknown

**Subjecting FRP-reinforced concrete beams to sustained loads in the lab for 13 years**

**Indoor environment**

- Temperature: 21–23°C
- Relative humidity: 40–60%

\*Two types of FRP: Carbon (CFRP) and Glass (GFRP)

**Outdoor environment**

- 840 freeze/thaw cycles
- Temperature: –18.0–33.5°C
- Precipitation
- Ultraviolet radiation

**Bond test: Measurement of debond strain**

**CFRP-strengthened beams**

- Negligible change in debond onset strain in indoor conditions
- Reduction in debond onset strain in outdoor conditions
- Failure mode: Complete debonding

**GFRP-strengthened beams**

- Reduction in debond onset strain in indoor conditions
- Large reduction in debond onset strain in outdoor conditions
- Failure mode: FRP rupture

**Understanding long-term concrete-FRP bond durability is key to cost-effectively maintain existing infrastructure and create safer cities**

Durability assessment of FRP-concrete bond after sustained load for up to thirteen years  
Lee et al. (2021) | DOI: 10.1016/j.compositesb.2021.109180

**NATIONAL KOREA MARITIME & OCEAN UNIVERSITY**

Fiber reinforced polymer coatings are an affordable way to externally strengthen concrete structures, but how long does the protection last? Scientists find out.  
Credit: Korea Maritime and Ocean University

In modern society, the majority of our infrastructure (buildings, bridges, tunnels, etc.) is made of aging concrete. A recently developed cost-

effective method of sustaining this infrastructure involves an external coating with fiber-reinforced polymer (FRP) composites. But is this a temporary patch or a durable solution? A 13-year-long study published in *Composites Part B* finally answers this question, taking us one step closer to the wide-spread utilization of this solution.

In the FRP-strengthening of concrete, glass or carbon fiber-reinforced polymer (GFRP or CFRP) composites are bonded onto concrete using an epoxy adhesive. These sheets provide additional support and strengthen the concrete by protecting them from harsh [environmental conditions](#), such as high moisture levels and temperatures. But these same environmental conditions can potentially degrade the concrete-FRP [bond](#) as well, causing the FRP protection system to fail prematurely.

Prof. Jaeha Lee from Korea Maritime and Ocean University, a lead researcher in the 13-year study, says, "The information available on FRP-concrete bond behavior following sustained loads in [different environments](#) is very limited, particularly for periods beyond two years."

The researchers tested both CFRP and GFRP systems under various indoor and outdoor environmental conditions for changes in a parameter called the debond onset strain. This is a measure of the deformation that occurs before failure; larger strains usually forewarn imminent failure.

The researchers found that environmental conditions had a significant impact on bond behavior. At the end of 13 years, larger reductions in debond strains were observed in outdoor beams than indoor beams. Further, the bond behavior varied between materials: changes in debond strain were negligible in indoor CFRP beams, while in outdoor GFRP beams, there was a notable decrease.

Prof. Lee stresses the importance of such tests for future use, stating: "If

the long-term durability of concrete-FRP interfaces is evaluated, the use of this strengthening system is expected to increase with minimum investment. This will be great for affordably maintaining a safer city by minimizing the risk of collapse or damage of existing structures."

**More information:** Jaeha Lee et al, Durability assessment of FRP-concrete bond after sustained load for up to thirteen years, *Composites Part B: Engineering* (2021). [DOI: 10.1016/j.compositesb.2021.109180](https://doi.org/10.1016/j.compositesb.2021.109180)

Provided by National Korea Maritime and Ocean University

Citation: How long can fiber reinforced polymer sustain concrete structures? Scientists answer (2021, October 15) retrieved 3 December 2023 from <https://techxplore.com/news/2021-10-fiber-polymer-sustain-concrete-scientists.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.