

## Building a template for the future 6G network

October 1 2021



Credit: Pixabay/CC0 Public Domain

Traditional networks are unable to keep up with the demands of modern computing, such as cutting-edge computation and bandwidth-demanding services like video analytics and cybersecurity. In recent years, there has



been a major shift in the focus of network research towards softwaredefined networks (SDN) and network function virtualization (NFV), two concepts that could overcome the limitations of traditional networking. SDN is an approach to network architecture that allows the network to be controlled using software applications, whereas NFV seeks to move functions like firewalls and encryption to virtual servers. SDN and NFV can help enterprises perform more efficiently and reduce costs. Needless to say, a combination of the two would be far more powerful than either one alone.

In a recent study published in *IEEE Transactions on Cloud Computing*, researchers from Korea now propose such a combined SDN/NFV network architecture that seeks to introduce additional computational functions to existing network functions. "We expect our SDN/NFV-based infrastructure to be considered for the future 6G network. Once 6G is commercialized, the resource management technique of the network and computing core can be applied to AR/VR or holographic services," says Prof. Jeongho Kwak of Daegu Gyeongbuk Institute of Science and Technology (DGIST), Korea, who was an integral part of the study.

The new network architecture aims to create a holistic framework that can fine-tune processing resources that use different (heterogeneous) processors for different tasks and optimize networking. The unified framework will support dynamic service chaining, which allows a single network connection to be used for many connected services like firewalls and intrusion protection; and code offloading, which involves shifting intensive computational tasks to a resource-rich remote server.

To minimize the system cost while maximizing the quality of service (QoS), the researchers developed a Dual-RMR (dual-resource sending rate control and multi-path routing) algorithm that seeks to avoid network congestion and improve performance and security by regulating



the flow of data in the <u>network</u> and using multiple alternative paths for its transmission.

They then tested their algorithm on several toy scenarios and a realworld large-scale scenario to evaluate its practical applicability. "The framework can efficiently and optimally offer appropriate resources to applications that require different computing, storage, and networking resources depending on the available space and time to be utilized," explains Prof. Kwak.

**More information:** Yeongjin Kim et al, Dynamic Computation and Network Chaining in Integrated SDN/NFV Cloud Infrastructure, *IEEE Transactions on Cloud Computing* (2021). DOI: 10.1109/TCC.2021.3094681

Provided by Daegu Gyeongbuk Institute of Science and Technology

Citation: Building a template for the future 6G network (2021, October 1) retrieved 4 May 2024 from <u>https://techxplore.com/news/2021-10-template-future-6g-network.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.