

Imaging through random diffusers instantly without a computer

January 27 2022



Computational imaging without a computer: seeing through random diffusers at the speed of light. Credit: UCLA Engineering Institute for Technology Advancement

Imaging through scattering and diffusive media has been a challenge for many decades, with numerous solutions reported so far. In principle,



images distorted by random diffusers (such as frosted glass) can be recovered using a computer. However, existing methods rely on sophisticated algorithms and codes running on computers that digitally process the distorted images to correct them.

Adaptive optics-based methods have also been applied in different scenarios to see through diffusive media. With significant advances in wavefront shaping, wide-field real-time imaging through turbid media became possible. In addition to digital computers, they require guide-stars or known reference objects, introducing additional complexity to an imaging system. As another alternative approach, deep neural networks were trained using image pairs composed of distorted objects and their corresponding distortion-free images. This method taught deep neural networks to reconstruct distorted images using computers.

A new paper published in *eLight* sought an entirely new paradigm to image objects through diffusive media. In their paper, titled "Computational Imaging Without a Computer: Seeing Through Random Diffusers at the Speed of Light," UCLA researchers, led by Professor Aydogan Ozcan, presented a new method to immediately see through random diffusive media without the need for any digital processing. This new approach is computer-free and all-optically reconstructs object images distorted by unknown, randomly-generated phase diffusers.

To achieve this, they trained a set of diffractive surfaces or transmissive layers using deep learning to optically reconstruct the image of an unknown object placed entirely behind a random diffuser. The diffuserdistorted input optical field diffracts through successive trained layers—the image reconstruction process is completed at the speed of light propagation through the diffractive layers. Each trained diffractive surface has tens of thousands of diffractive features (called neurons) that collectively compute the desired image at the output.



During the training, many different and randomly-selected phase diffusers were used to help generalize the optical <u>network</u>. After this onetime deep learning-based design, the resulting layers are fabricated and put together to form a physical network positioned between an unknown, new diffuser and the output/image plane. The trained network collected the scattered light behind the random diffuser to reconstruct an image of the object all optically.

There is no need for a <u>computer</u> or digital reconstruction algorithm to image through an unknown diffuser. In addition, this diffractive processor does not use any external power source, aside from the light that illuminates the object behind the diffuser.

The research team experimentally validated the success of this approach using Terahertz waves. They fabricated their designed diffractive networks with a 3D printer to demonstrate the capability to see through randomly-generated phase diffusers never used during training. The team also improved <u>object</u> reconstruction quality using deeper diffractive networks with additional fabricated layers, one <u>layer</u> following another.

The all-optical image reconstruction achieved by these passive diffractive layers allowed the team to see objects through unknown random diffusers. It presents an extremely low power solution compared with existing deep learning-based or iterative image reconstruction methods that use digital computers.

The researchers believe that their method could be applied to other parts of the electromagnetic spectrum, including the visible and far/midinfrared wavelengths. The reported proof-of-concept results represent a thin and random diffuser layer. The team believes these underlying methods can potentially be extended to see through volumetric diffusers such as fog.



This approach can enable significant advances in fields where imaging through diffusive media is of utmost importance. Those fields include biomedical imaging, astronomy, autonomous vehicles, robotics, and defense/security applications.

More information: Yi Luo et al, Computational imaging without a computer: seeing through random diffusers at the speed of light, *eLight* (2022). DOI: 10.1186/s43593-022-00012-4

Provided by UCLA Engineering Institute for Technology Advancement

Citation: Imaging through random diffusers instantly without a computer (2022, January 27) retrieved 26 April 2024 from <u>https://techxplore.com/news/2022-01-imaging-random-diffusers-instantly.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.