

New materials for extremely high-efficiency perovskite solar cells

January 11 2022



The materials developed at KTU were tested in the laboratories of Lausanne Federal Institute of Technology (EPFL) in Switzerland. Credit: KTU

A group of chemists from Kaunas University of Technology (KTU), Lithuania synthesized materials that were used for constructing a record-breaking perovskite solar module, with an efficiency of 21.4 percent. This was achieved through the passivation of the active solar cell layer,

which increases the efficiency of the cell and significantly improves its stability.

Perovskite solar [cells](#) (PSCs) are one of the world's fastest-growing solar cell technologies. These elements are thin-layered, lightweight, flexible, and are made of low-cost materials. However, this type of solar cell still faces a major issue: quick degradation of [perovskite](#) material under environmental conditions.

Passivation is a simple but effective way to improve the stability of perovskite solar cells and has been considered as one of the most effective strategies for eliminating the defects of perovskite materials and their negative effects. The passivated perovskite surface becomes more resistant to ambient conditions as temperature or humidity, and more stable, extending the durability of the device.

KTU synthesized materials were used in solar mini-modules

KTU chemists, together with researchers from science centers in China, Italy, Lithuania, Switzerland and Luxembourg, significantly improved the stability of perovskite solar cells using the passivation method. The perovskite surface becomes chemically inactive during passivation, thereby eliminating perovskite defects that occur during manufacture. The ensuing perovskite solar cells achieve an efficiency of 23.9 percent with long-term operational stability (over 1000 h).

"Passivation has been applied previously, but so far, a two-dimensional (2D) layer of perovskite is being formed on the traditional three-dimensional (3D) perovskite light absorber, making it difficult for carriers to move, especially at higher temperatures. It is critical to avoid this because the solar cells become hot," says co-author of the invention,

KTU chief researcher Dr. Kasparas Rakštys.

To address this issue, an international team of researchers conducted a study that estimated the minimum energy required to form 2D perovskites. The surface of the 3D perovskite layer was passivated by different isomers of phenylethylammonium iodide synthesized by KTU. These isomers have the same molecular formula but different arrangements of atoms in space, determining the probability of 2D perovskite formation.

Researchers from the Lausanne Federal Institute of Technology (EPFL) in Switzerland tested the materials in perovskite solar mini-modules with an active area over 300 times larger than typical, laboratory-scale perovskite solar cells. These mini-modules achieved a record solar energy conversion efficiency of 21.4 percent. The surface of the perovskite layer of the record-breaking mini-solar modules was coated with materials developed by KTU chemists.

"The study proved to be quite effective in preventing the negative effects of passivation on [solar cells](#). It has been discovered that an isomer with the passivation groups closest to each other lead to the most efficient passivation due to the steric hindrance that avoids 2D perovskite formation. Interestingly, steric hindrance is also used as a tool in different areas of chemistry to prevent or slow down undesirable reactions," says the KTU researcher.

The study was published in *Nature Communications*.

At the moment, KTU researchers are working with colleagues from other countries to produce functional, hole-transporting materials and new perovskite compositions. According to Dr. Rakštys: "International cooperation in science is vital because it is impossible to cover all the areas as chemistry, physics, and materials science working in such

interdisciplinary field."

More information: Cheng Liu et al, Tuning structural isomers of phenylenediammonium to afford efficient and stable perovskite solar cells and modules, *Nature Communications* (2021). [DOI: 10.1038/s41467-021-26754-2](https://doi.org/10.1038/s41467-021-26754-2)

Provided by Kaunas University of Technology

Citation: New materials for extremely high-efficiency perovskite solar cells (2022, January 11) retrieved 1 May 2024 from <https://techxplore.com/news/2022-01-materials-extremely-high-efficiency-perovskite-solar.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--