


# Turning up the heat: Researchers focus on process steps to expand solar cell capabilities

February 16 2022, by Kathleen Haughney

---



Former Florida State University postdoctoral researcher Sarah Wiegold, left, and FSU Assistant Professor of Chemistry and Biochemistry Lea Nienhaus. Their research is helping to understand the fundamental processes in a material known as perovskites, work that could lead to more efficient solar cells that also do a better job of resisting degradation. Credit: FSU Photography Services

In a new study, a Florida State University researcher illuminates the fundamental properties of a process used to make better solar cells, giving scientists knowledge about how to further fine-tune that work and build more efficient devices.


"This is building upon our goal to build better [solar cells](#) from new materials," said FSU Assistant Professor of Chemistry Lea Nienhaus. "This paper looks at the underlying mechanisms of charge extraction at the perovskite/organic interface to see how and when this process occurs, so that we can improve the efficiency of the overall device."

The work is laid out in the journal *ACS Energy Letters*.

Nienhaus has been working on building more [efficient solar cells](#) in a variety of ways.

One route is by expanding the region of the solar spectrum that a solar cell can utilize by converting unusable low energy light into useable higher energy light. This can occur through a process called photon upconversion or triplet-triplet annihilation.

The same [charge carriers](#) that are extracted as a current in a solar cell can also populate the triplet state of an organic molecule. The combination of two triplet states results in a higher energy, emissive singlet state. The resulting high energy emitted photon can then be absorbed by a solar cell.



Credit: ACS

However, to date, the delicate, lightning-fast charge extraction processes resulting in the triplet state are unknown.

Nienhaus and colleagues created a thin film of lead-halide perovskites and a hydrocarbon called rubrene, which emits the upconverted light. They then utilized ultrafast transient absorption spectroscopy to understand the exact timing of the underlying charge transfer processes which generate the triplet states.

They found that the process involved thermally excited or "hot" charge carriers in the perovskite that resulted in the generation of triplet states in rubrene on a sub-nanosecond timescale.

"Hopefully this information will give us a starting point to design new and improved perovskite materials for triplet sensitization," Nienhaus

said. "Energetically, we would like to upconvert near-infrared light to the green or blue spectral region, to really maximize the [energy](#) gains obtained in upconversion. If we know the exact charge transfer mechanism and [energy levels](#) involved, we can tune both sides of the equation and maximize performance."

Other contributors to this paper are FSU graduate students Carl Conti, Alexander Bieber and Zachary VanOrman; FSU undergraduate student Gregory Moller; FSU Professor of Chemistry Geoffrey Strouse; and Sarah Wieghold and Richard Schaller from Argonne National Laboratory.

**More information:** Carl R. Conti et al, Ultrafast Triplet Generation at the Lead Halide Perovskite/Rubrene Interface, *ACS Energy Letters* (2022). [DOI: 10.1021/acsenergylett.1c02732](https://doi.org/10.1021/acsenergylett.1c02732)

Provided by Florida State University

Citation: Turning up the heat: Researchers focus on process steps to expand solar cell capabilities (2022, February 16) retrieved 16 April 2024 from <https://techxplore.com/news/2022-02-focus-solar-cell-capabilities.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.