

# Using gelatin and sugar as ink to print 3D soft robots

February 7 2022, by Bob Yirka




FIG. 1. Sustainable 3D-printed soft actuators with integrated waveguide sensors.(A) Biodegradable constituents enable a cradle-to-cradle design for soft robotics, where thermoreversibility opens an additional subcycle for multiple usage and extended lifetime. (B) Three-chamber pneumatic actuator with fiber reinforcement and integrated optical sensors. The sensors detect obstacles in the path of the actuator and allow removal of the object. (C) When immersed in water, the gelatin actuator and waveguides swell and dissolve. Complete biodegradation is enabled in sewage or compost. Credit: DOI: 10.1126/scirobotics.abk2119

A team of researchers at Johannes Kepler University Linz has used biodegradable materials as ink to print 3D soft robots. In their paper published in the journal *Science Robotics*, the group describes how they developed their ink and how well it performed. Yu Jun Tan, with the National University of Singapore has published a Focus piece in the same journal issue, outlining the issues researchers have faced in creating robots out of biodegradable materials and the work done by the team in Austria.

Over the past several years, researchers have been making progress toward the development of [soft robots](#), so named due to the [soft materials](#) used to create them. Such robots have typically been created to emulate creatures that live in the water. Researchers believe this technology will one day lead to the development of tiny soft robots that can swim around inside of the body to distribute medications or to repair damaged tissue. In most cases, soft robots have been made of non-biodegradable material because [biodegradable materials](#) have limitations, including dissolution in water, molding and a limited lifespan. In this new effort the researchers have used sugar and gelatin to create jelly-like objects. Adding other materials have made their creations less inviting to mold ([citric acid](#)) and more resilient when dunked in water (glycerol). They have now experimented with variations of their recipe to create an ink that could be used to produce 3D objects.

To use the material they created, they warmed it to the point of softness that allowed it to be squirted through a printing nozzle and ran the printer in a chilly room, which allowed the ink to solidify quickly. To test their approach, the team first created a soft pneumatically driven actuator which worked as planned. They noted that the actuator could be placed back into the printer allowing for reuse of the ink. The team next printed stretchable [waveguide](#) sensors that worked in conjunction with LED lights. They then combined the waveguide with the actuator to create a functioning soft [robot](#). Next, they connected three of the

waveguides together and hooked them to a button controller which could then be used to alter the degree of deformation of the waveguides.

**More information:** A. Heiden et al, 3D printing of resilient biogels for omnidirectional and exteroceptive soft actuators, *Science Robotics* (2022). [DOI: 10.1126/scirobotics.abk2119](https://doi.org/10.1126/scirobotics.abk2119)

Yu Jun Tan, Harnessing the circular economy to develop sustainable soft robots, *Science Robotics* (2022). [DOI: 10.1126/scirobotics.abn8147](https://doi.org/10.1126/scirobotics.abn8147)

© 2022 Science X Network

Citation: Using gelatin and sugar as ink to print 3D soft robots (2022, February 7) retrieved 20 April 2024 from <https://techxplore.com/news/2022-02-gelatin-sugar-ink-3d-soft.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--