


# **Electrode made from inexpensive earth-abundant metals has potential for green fuel production**

March 10 2022

---



KAUST researchers have created a low-cost electrode that can split water molecules, releasing oxygen at the anode and hydrogen at the cathode. Credit:

A metal foam could underpin a low-cost method for generating carbon-free fuels, researchers from KAUST have shown. The team seamlessly coated the foam with iron and cobalt nanomaterials to create a highly active electrode for a device that splits water molecules to release oxygen and hydrogen, a potential green fuel.

Due to the intermittent nature of wind and solar energy electricity, there is a need to develop methods to convert renewable electricity into a carbon-free fuel that could be stored and transported for later use.

"Electrochemical [water](#) splitting is seen as a pragmatic route to reach this goal," says Pravin Babar, a postdoc in Cafer Yavuz's lab, who led the research. An electrochemical device can use [renewable electricity](#) to break apart [water molecules](#), releasing [oxygen](#) at the anode and hydrogen at the cathode.

Existing high-performance water-splitting devices rely on electrodes made from rare and expensive metals, which limits their widespread rollout and use. "Our motivation is to replace the precious metal-based anode in water-splitting systems, reducing costs and fostering convenient mass production while not compromising on performance," Babar says. "We have developed an interface engineering strategy that uses more cost-effective materials that demonstrate performance almost on par with standard precious-metal-based anodes."

Using a simple, rapid and scalable wet-chemical approach, the team grew two-dimensional cobalt iron hydroxide (CoFe-OH) nanosheets on nickel foam substrates, then deposited iron oxyhydroxide (FeOOH) nanoparticles onto the surface. By using nanomaterial deposition to engineer the interface between the electrode and the water, the team

created a material that combined high [electrical conductivity](#) with a high surface area covered with abundant active sites for molecular oxygen ( $O_2$ ) production. The material also proved to be robust, with no drop-off in performance detected after 50 hours of continuous use.

"Based on its remarkable oxygen evolution reaction performance, kinetics and long-term stability at high [current density](#) compared to other recently reported catalysts, our material is the most suitable candidate for a low-cost oxygen evolution reaction electrode," Babar says.

The synergistic performance gains achieved by seamlessly combining nanomaterials in a single [electrode](#) material were a pleasant surprise, Yavuz says. "This is our first foray into renewable hydrogen from water electrolysis," he says. "Our goal is to develop a sustainable system for overall water splitting, not just the oxygen evolution reaction," he adds. "We are very excited that our designs are working and expect to have a working prototype device in a few years."

**More information:** Pravin Babar et al, Low Overpotential Overall Water Splitting by a Cooperative Interface of Cobalt-Iron Hydroxide and Iron Oxyhydroxide, *SSRN Electronic Journal* (2021). [DOI: 10.2139/ssrn.3949875](https://doi.org/10.2139/ssrn.3949875)

Provided by King Abdullah University of Science and Technology

Citation: Electrode made from inexpensive earth-abundant metals has potential for green fuel production (2022, March 10) retrieved 10 May 2024 from <https://techxplore.com/news/2022-03-electrode-inexpensive-earth-abundant-metals-potential.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.