

# Using Rubik's cube to improve and evaluate robot manipulation

March 21 2022, by Ingrid Fadelli




Fig. 1: Rubik's cube manipulation can be used to benchmark robot manipulation across a wide array of algorithmic approaches and robot platforms, such as the PR2 and HERB.

Credit: Yang et al.

Researchers at University of Washington have recently developed a new protocol to train robots and test their performance on tasks that involve object manipulation. This protocol, presented in a paper published in *IEEE Robotics and Automation Letters*, is based on the Rubik's Cube, the well-known 3D combination puzzle invented by the Hungarian sculpture and architect Ernő Rubik.

In [one of their previous studies](#), the team closely examined how robots acquire sequential manipulation skills, such as those required to handle Rubik's cube. In their experiments, they observed a mismatch between what humans and robots find challenging, when completing the 3D combination puzzle.

"For us humans, it is challenging to decide what moves to make to complete Rubik's cube, yet it is quite easy for us to physically manipulate and twist the cube as desired," Boling Yang, one of the researchers who carried out the study, told TechXplore. "For robots, it is the other way around. Robots only need a few seconds to execute a search-based algorithm that can determine a sequence of moves that will solve the cube. However, executing the individual manipulations in the [real world](#) requires sub-centimeter positioning accuracy."

Learning to manipulate Rubik's cube can be very challenging for robots, as it involves a series of sequential movements. This means that the individual errors that a [robot](#) makes can accumulate, affecting its overall performance on the task.

Yang and his colleagues believe that the accumulation of errors is a key issue impacting the performance of robots in sequential manipulation tasks. As Rubik's cube involves sequential manipulation, they propose the use of the puzzle to evaluate the manipulation skills of robots and

compare them to those of other robotic systems.




Fig. 2: The robot must precisely position its grippers to rotate the left column of the Rubik's cube while constraining the middle and right columns in place. **Top Row:** The robot correctly positions its grippers: it is constraining the two right columns of the cube. The yellow box highlights the position of the constraining gripper. **Middle Row:** The robot only touches one column of the Rubik's cube and therefore fails to constrain its middle column. **Bottom Row:** The right gripper is touching all three columns of the cube; this prevents the left gripper from rotating the left column of the cube.

Credit: Yang et al.

"Rubik's cube manipulation requires a sufficient amount of precision, especially over long sequences of manipulations," Yang said. "Therefore, a robot being able to correctly and rapidly manipulate a Rubik's cube is indicative of high manipulation performance. In our protocol, the robot is required to perform a sequence of Rubik's cube manipulations as quickly as possible."

The protocol developed by Yang and his colleagues assesses both a robot's speed and accuracy in completing Rubik's cube. As part of their study, the researchers demonstrated its potential and applicability in a series of tests.

In the first test, they used it to evaluate two baseline algorithmic techniques for improving a robot's manipulation skills, using PR2, a robotic platform designed by Willow Garage. Subsequently, the team outlined a series of steps that would allow another renowned robot, called Herb, to complete Rubik's cube. This confirmed that their protocol can be applied to a variety of robotic platforms.

"Robots can score highly on our protocol by successfully completing a large number of manipulations and/or minimizing the time required to perform manipulations," Yang explained. "Our protocol thus establishes a baseline to which other researchers can compare their systems."

In the future, the protocol devised by Yang and his colleagues could be used to evaluate different computational methods to enable robot manipulation and compare their speed, accuracy, and overall effectiveness. In addition, the team's initial findings suggest that the [protocol](#) generalizes well across a variety of robotic platforms.

"We believe that having such a standard will allow robotics researchers to more clearly identify directions for progress in robot manipulation," Yang added. "With respect to a more [general audience](#), Rubik's cube is understandable and even enjoyable to watch by almost everyone, thus it could serve as a gateway for students to be introduced to robotics. We are now interested in inviting researchers specialized in different areas, such as sensing, planning, and manipulator design, to try our benchmark and use it to advance robot manipulation in terms of accuracy and speed."

**More information:** Boling Yang et al, Benchmarking Robot Manipulation With the Rubik's Cube, *IEEE Robotics and Automation Letters* (2020). [DOI: 10.1109/LRA.2020.2969912](https://doi.org/10.1109/LRA.2020.2969912) . On Arxiv: [arxiv.org/abs/2202.07074](https://arxiv.org/abs/2202.07074)

Boling Yang et al, Pre-touch sensing for sequential manipulation, *2017 IEEE International Conference on Robotics and Automation (ICRA)* (2017). [DOI: 10.1109/ICRA.2017.7989594](https://doi.org/10.1109/ICRA.2017.7989594)

© 2022 Science X Network

Provided by Science X Network

Citation: Using Rubik's cube to improve and evaluate robot manipulation (2022, March 21) retrieved 11 December 2023 from <https://techxplore.com/news/2022-03-rubik-cube-robot.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.