

A stretchy display for shapable electronics

March 23 2022



Zhitao Zhang wears the flexible light-emitting film, featuring a Stanford logo, on the knuckle of their finger. This shows how the film can hold up to flexing and wrinkling. Credit: Zhitao Zhang and Jiancheng Lai of Bao Group Research Lab

No one would ever imagine crumpling up their smartphone, television or another electronic device. Today's displays—which are flat, rigid and fragile—lack the ability to reshape to interactively respond to users.

As part of an overarching quest to build "skin-inspired" electronics that are soft and stretchy, Stanford University chemical engineer Zhenan Bao and her research team have been developing a display to change that. Now, after more than three years of work, they show the proof of principle toward a stretchable, potentially reshapable display in a new paper published March 23 in *Nature*.

Their invention hinges on the discovery of a method to produce a high-brightness elastic light-emitting polymer, which functions like a filament in a lightbulb. The group's resulting display is made entirely of stretchy polymers—synthetic plastic materials. The device has a maximum brightness at least two times that of a cellphone and can be stretched up to twice its original length without tearing.

"Stretchable displays can allow a new way of interactive human-machine interface," said Bao, the K. K. Lee Professor in the School of Engineering and senior author of the paper. "We can see the image and interact with it, and then the display can change according to our response."

An illuminating discovery

Most light-emitting polymers are stiff and crack when stretched. Scientists can increase their flexibility by adding elastic insulating materials, such as rubber. But these additives decrease [electrical conductivity](#), which requires the polymer to use a dangerously [high voltage](#) to generate even dim light.

About three years ago, however, postdoctoral scholar Zhitao Zhang discovered that a yellow-colored light-emitting polymer called SuperYellow not only became soft and pliable but also emitted brighter light when mixed with a type of polyurethane, a stretchy plastic.

"If we add polyurethane, we see SuperYellow form nanostructures," said Zhang, the first author of the study. "These nanostructures are really important. They make the brittle polymer stretchable, and they make the polymer emit brighter light because the nanostructures are connected like a fishnet."

Unlike adding rubber, the interconnected net of nanoscale fibers that make the SuperYellow stretchy don't inhibit electricity flow—which is key to developing a bright display. After this discovery, the group also created elastic red, green and [blue light](#)-emitting polymers.

Stacking the layers

With stretchable light-emitting polymers now available, the group needed to layer together the remaining ingredients of an electronic display.

"It was really challenging to figure out the right materials to use," Bao explained. "Electronically, they have to match each other to give us high brightness. But then, they also need to have similarly good mechanical properties to allow the display to be stretchable. And finally, for the fabrication, Zhitao had to figure out a way to stack the layers together so that the process will not degrade the brightness."

The final display contains seven layers. Two outer layers are two substrates that encapsulate the device. Moving inward are two electrode layers, each followed by charge transporting layers. Finally, the light-emitting layer sits sandwiched in the center.

When electricity runs through the display, one electrode injects positive charges, called holes, into the light-emitting layer while the other injects negatively charged electrons into it. When the two types of charges meet, they bond and go into an energetically [excited state](#). Almost immediately

after, the state returns to normal by producing a photon—a particle of light.

The resulting all-[polymer](#) film can be adhered to an arm or finger and doesn't rip during bending or flexing. This will allow wearable trackers to have their display directly attached to the skin.

Bao sees a variety of additional potential uses for a stretchable display. It could be used to produce reshapable interactive screens or even form three-dimensional landscapes on a map.

"Imagine a [display](#) where you can both see and feel the three-dimensional object on the screen," Bao said. "This will be a completely new way to interact with each other remotely."

More information: Zhenan Bao, High-brightness all-polymer stretchable LED with charge-trapping dilution, *Nature* (2022). [DOI: 10.1038/s41586-022-04400-1](https://doi.org/10.1038/s41586-022-04400-1).
www.nature.com/articles/s41586-022-04400-1

Provided by Stanford University

Citation: A stretchy display for shapable electronics (2022, March 23) retrieved 8 December 2023 from <https://techxplore.com/news/2022-03-stretchy-shapable-electronics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.