


# Chemists develop a strategy for highly efficient and stable perovskite solar cells

April 21 2022

---



In collaboration with Professor Nicholas Long from Imperial College, Dr Zhu Zonglong's team from CityU ingeniously added ferrocenes to perovskite solar cells as an interface between the light-absorbing layer and the electron transporting layer, achieving a breakthrough. Credit: City University of Hong Kong


A research team co-led by chemists from City University of Hong Kong (CityU) and Imperial College London has developed new, highly efficient and stable perovskite solar cells. The breakthrough invention is expected to greatly accelerate the commercialisation of perovskite photovoltaic technology, providing a promising alternative to silicon solar cells.

Traditional solar cells are made of silicon, which has high power conversion efficiency and good stability. But they are relatively expensive and are reaching their practical and economic photovoltaic efficiency limits. Perovskites are regarded as the leading contender to replace silicon as the material of choice for solar panels. Perovskite solar cells are expected to cost less, have a low-manufacturing temperature, and are lightweight and flexible. They can be printed on plastic films as flexible solar cells, or can be used as window glass coating to absorb sunlight, offering wide usability.

Among the different types of perovskite solar cells, those with an inverted design configuration have exhibited exceptional stability, making them good candidates to reach the lifetime of commercial silicon solar cells. However, perovskite materials include chemically reactive components, which can easily volatilize and degrade under high temperature and humidity, shortening the solar cells' operational lifetime. And there was still a lack of strategy to enhance the efficiency of inverted perovskite solar cells up to 25% to rival that of silicon solar cells, while maintaining their stability.

Inspired by the unique properties of a metal-containing material called ferrocenes, Dr. Zhu Zonglong, Assistant Professor in CityU's Department of Chemistry, overcame these obstacles with a new approach. In collaboration with Professor Nicholas Long from Imperial College, Dr. Zhu's team ingeniously added ferrocenes to perovskite solar cells as an interface between the light-absorbing layer and the electron

transporting layer, achieving a breakthrough. "We are the first team to successfully boost inverted perovskite solar cells to a record-high efficiency of 25% and pass the stability test set by the International Electrotechnical Commission (IEC)," said Dr. Zhu.



The top picture shows the molecular structure of ferrocene-based metallic compound (FcTc2) and its application in perovskite solar cells. The bottom picture shows the working mechanism of the ferrocene-based metallic compound. Credit: *Science* (2022). DOI: 10.1126/science.abo0039


The findings were published in the scientific journal *Science* under the title "Organometallic-functionalized interfaces for highly efficient inverted perovskite solar cells."

"The unique properties of ferrocenes can help overcome the problems

with perovskite solar cells," said Professor Long, who is an expert in organometallic chemistry. Ferrocene is a compound with an iron atom "sandwiched" between two planar carbon rings. Dr. Zhu's team employed ferrocene, in which the carbon rings are attached to different organic groups, developed by Professor Long's team. "These organic groups reduce the reactivity of the perovskite surface, enhancing both efficiency and stability," Dr. Zhu explained.

Perovskite solar cells are made up of layers of materials. The perovskite layer is for light harvesting. The ferrocene molecules accelerate electron transfer from the perovskite active layer to the electrode in the electricity conversion layer, thus increasing efficiency.

Another merit of these organic groups, explained Dr. Zhu is that "the ferrocene-based organometallic compound designed by the joint team firmly anchors the ion on the perovskite surface via a strong chemical bond, reducing the solar cells' sensitivity to the external environment and delaying the device degradation process."



A comparison of the stability performance between the device with (FcTc2) and without using a ferrocene-based metallic compound (Control), including long-term operational stability (top), damp heat stability (middle), and thermal cycle stability (bottom). Credit: *Science* (2022). DOI: 10.1126/science.abo0039

In the experiment, the CityU team found that these newly invented solar cells can run under continuous illumination for more than 1,500 hours and still maintain more than 98% of their initial efficiency. The devices also passed the international standard for mature [photovoltaics](#), exhibiting superior stability in a hot and humid environment (85 degrees Celsius and 85% humidity).

"The most important part of this work is that we successfully fabricated highly efficient perovskite solar cells while providing promising stability. The reliable results mean that the commercialization of perovskites is on its way," said Dr. Zhu.

The collaboration team patented their design. "We aim to scale up the production of perovskite solar cells using this novel molecule and facile method, contributing to the global 'zero-carbon' sustainability goal," concluded Dr. Zhu.

Dr. Zhu and Professor Long are the corresponding authors of the paper.

**More information:** Zhen Li et al, Organometallic-functionalized interfaces for highly efficient inverted perovskite solar cells, *Science* (2022). DOI: 10.1126/science.abm8566 , [www.science.org/doi/10.1126/science.abm8566](http://www.science.org/doi/10.1126/science.abm8566)

Provided by City University of Hong Kong

Citation: Chemists develop a strategy for highly efficient and stable perovskite solar cells (2022, April 21) retrieved 24 April 2024 from <https://techxplore.com/news/2022-04-chemists-strategy-highly-efficient-stable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.