


World's first LED lights developed from rice husks

April 12 2022



Scientists from Hiroshima University created world's first LED light by using rice husks and chemically obtained products. Credit: *ACS Sustainable Chem. Eng*

Milling rice to separate the grain from the husks produces about 100 million tons of rice husk waste globally each year. Scientists searching for a scalable method to fabricate quantum dots have developed a way to recycle rice husks to create the first silicon quantum dot (QD) LED light. Their new method transforms agricultural waste into state-of-the-

art light-emitting diodes in a low-cost, environmentally friendly way.

The research team from the Natural Science Center for Basic Research and Development, Hiroshima University, published their findings on January 28, 2022, in the American Chemical Society journal *ACS Sustainable Chemistry & Engineering*.


"Since typical QDs often involve toxic material, such as cadmium, lead, or other [heavy metals](#), [environmental concerns](#) have been frequently deliberated when using nanomaterials. Our proposed process and [fabrication method](#) for QDs minimizes these concerns," said Ken-ichi Saitow, lead study author and a professor of chemistry at Hiroshima University.

Since [porous silicon](#) (Si) was discovered in the 1950s, scientists have explored its uses in applications in [lithium-ion batteries](#), luminescent materials, biomedical sensors, and drug delivery systems. Non-toxic and found abundantly in nature, Si has photoluminescence properties, stemming from its microscopic (quantum-sized) dot structures that serve as semiconductors.

Aware of the environmental concerns surrounding the current [quantum dots](#), the researchers set out to find a new method for fabricating quantum dots that has a positive environmental impact. Waste rice husks, it turns out, are an excellent source of high-purity silica (SiO_2) and value-added Si powder.

The team used a combination of milling, heat treatments, and [chemical etching](#) to process the rice husk silica: First, they milled rice husks and extracted silica (SiO_2) powders by burning off [organic compounds](#) of milled rice husks. Second, they heated the resulting silica powder in an electric furnace to obtain Si powders via a reduction reaction. Third, the product was a purified Si powder that was further reduced to 3

nanometer in size by chemical etching. Finally, its surface was chemically functionalized for high chemical stability and high dispersivity in solvent, with 3 nm crystalline particles to produce the SiQDs that luminesce in the orange-red range with high luminescence efficiency of over 20%.



(a) Ears of rice planted in Hiroshima Japan. (b) Schematic illustration of a rice grain with a rice husk composed of 20 wt % SiO_2 . Photographs of (c) rice husks, (d) SiO_2 powders extracted from rice husks, and (e) Si powders synthesized from (d). Electron microscope images of (f) the shell structure of SiO_2 and (g) Si quantum dot. Photoluminescence of Si quantum dot showing (h) photograph and (i) spectra. (j) Si quantum dot LED and (k) electroluminescence spectrum of Si quantum dot LED. Credit: *ACS Sustainable Chem. Eng*

"This is the first research to develop an LED from waste rice husks," said Saitow, adding that the non-toxic quality of silicon makes them an attractive alternative to current semiconducting quantum dots available today.

"The present method becomes a noble method for developing environmentally friendly quantum dot LEDs from [natural products](#)," he said.

The LEDs were assembled as a series of material layers. An indium-tin-oxide (ITO) glass substrate was the LED anode; it is a good conductor of electricity while sufficiently transparent for light emission. Additional layers were spin-coated onto the ITO glass, including the layer of SiQDs. The material was capped with an aluminum film cathode.

The chemical synthesis method the team developed has allowed them to evaluate the optical and optoelectrical properties of the SiQD light-emitting diode, including the structures, synthesis yields, and properties of the SiO_2 and Si powders and SiQDs.

"By synthesizing high-yield SiQDs from rich husks and dispersing them in [organic solvents](#), it is possible that one day these processes could be implemented on a large scale, like other high-yield chemical processes," Saitow said.

The team's next steps include developing higher efficiency luminescence in the SiQDs and the LEDs. They will also explore the possibility of producing SiQD LEDs other than the orange-red color they have just created. Looking ahead, the scientists suggest that the method they have developed could be applied to other plants, such as sugar cane bamboo, wheat, barley, or grasses, that contain SiO_2 . These natural products and their wastes might hold the potential for being transformed into non-toxic optoelectronic devices. Ultimately, the scientists would like to see

commercialization of this eco-friendly approach to creating luminescent devices from [rice](#) husk waste.

Other members of the research team, also from Hiroshima University, include Honoka Ueda, Shiho Terada, and Taisei Ono.

More information: Shiho Terada et al, Orange–Red Si Quantum Dot LEDs from Recycled Rice Husks, *ACS Sustainable Chemistry & Engineering* (2022). [DOI: 10.1021/acssuschemeng.1c04985](https://doi.org/10.1021/acssuschemeng.1c04985)

Provided by Hiroshima University

Citation: World's first LED lights developed from rice husks (2022, April 12) retrieved 9 April 2024 from <https://techxplore.com/news/2022-04-world-rice-husks.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
