


Mapping how energy flows in organic solar cells

May 17 2022



Xian'e Li, a PhD student at Linköping University and principal author of the scientific article. Credit: Thor Balkhed

Efficient and environmentally friendly solar cells are required for a transition to a fossil-free energy supply. Researchers at Linköping

University have mapped how energy flows in organic solar cells, something that previously had been unknown. The results, which can contribute to more efficient solar cells, are published in *Nature Communications*.

"To enable the full potential of organic solar cells to be exploited, there is a need for a clear picture of how they work. We have now obtained that picture. This provides a better understanding of how to create new efficient and sustainable solar cell materials," says Mats Fahlman, a professor at the Laboratory of Organic Electronics at Linköping University.

Today, [solar energy](#) meets around 2% of the world's energy needs. But its potential is far in excess of that. The energy contained in the sun's rays is more than enough to meet our needs today and in the future. Solar cells that are cheap and environmentally friendly to manufacture are needed to be successful. In addition, they need to be efficient at absorbing a large proportion of the sun's rays and converting to [electrical energy](#).

Organic solar cells based on organic semiconductors are increasingly emerging as a sustainable option. But until just a few years ago they could not stand comparison with traditional silicon-based solar cells for efficiency. This was due to [energy loss](#) in charge separation, which was thought to be unavoidable.

But in 2016, a research team at Linköping University together with colleagues in Hong Kong were able to show that it was possible to avoid the energy loss using different donor-acceptor materials that help the electron to escape from its hole more easily. Energy loss then decreased and efficiency increased. The problem was that no one knew exactly how it happened. It was possible to see that it worked, but not why.



Mats Fahlman, a professor at the Laboratory of Organic Electronics at Linköping University. Credit: Thor Balkhed

Some of the same research team at Linköping University have now solved the mystery that had led to disagreement in this field of research. In a new study published in *Nature Communications*, the researchers have identified what [energy levels](#) are required to minimize energy losses.

"To find out how the energy flows, we laid nanometre-thick organic semiconduction films in several layers one on top of the other, rather like a strawberry and cream cake. After that we measured the energy required to separate the electrons from their holes in each individual layer," says Xian'e Li, a Ph.D. student at Linköping University and

principal author of the scientific article.

The researchers were then able to map the mechanism behind the energy-efficient charge separation. This systematic mapping points a new way forward for the development of organic [solar cells](#).

The [organic solar cells](#) in the study are of a type with an [electron acceptor](#) made of a material other than fullerene (a form of carbon), which previously was the most common material used. Non-fullerene-based organic cells become more stable and are capable of absorbing a greater proportion of the sun's rays for conversion to energy.

More information: Xian'e Li et al, Mapping the energy level alignment at donor/acceptor interfaces in non-fullerene organic solar cells, *Nature Communications* (2022). [DOI: 10.1038/s41467-022-29702-w](#)

Provided by Linköping University

Citation: Mapping how energy flows in organic solar cells (2022, May 17) retrieved 19 April 2024 from <https://techxplore.com/news/2022-05-energy-solar-cells.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--