

Over the lips, through the gums, look out gamers, here it comes—or so it seems

May 2 2022, by Byron Spice



Vivian Shen, a Ph.D. student in Carnegie Mellon University's Robotics Institute, uses a virtual reality headset equipped with a phased array of ultrasound transducers to simulate the feeling of drinking on her lips. Credit: Carnegie Mellon University

Lips are famously sensual but, together with the gums and tongue, they



are also surprisingly sensitive, second only to the fingertips in nerve density. Researchers at Carnegie Mellon University have exploited this latter characteristic to devise a practical new way for people to receive tactile feedback in virtual worlds.

Their system uses airborne <u>ultrasound waves</u> to create sensations on the lips, teeth and tongue, and is small and light enough to attach to the bottom of virtual reality (VR) goggles.

Imagine a VR world that has a drinking fountain in it. "Every time you lean down and think you should be feeling the water, all of a sudden you feel a stream of water across your lips," said Vivian Shen, a second-year Ph.D. student in the Robotics Institute. "It's cool. It makes the experience much more immersive."

Working in the Future Interfaces Group (FIG), Shen and Craig Shultz, a post-doctoral fellow in the Human-Computer Interaction Institute (HCII), have also used the system to create such haptic effects as raindrops, mud splatter and crawling bugs.

Shen and Shultz developed the system with Chris Harrison, associate professor in the HCII and director of the FIG Lab. Shen will present the team's research on Monday, May 2, at the Association for Computing Machinery's Conference on Human Factors in Computing Systems (CHI 2022), where the work won a Best Paper award.

Though the mouth is known for its sensitivity, researchers have had difficulty finding a means for rendering haptic effects on it, Shen said. VR users don't like to put things in or cover their mouths. Some devices are large and unwieldy. One recent effort employed a tiny robotic arm that could flick a feather across the lips or spray them with water, but Shen noted that will not be practical for widespread use.



Ultrasound, however, has been used by researchers to deliver sensations to the hands, enabling them to create haptic effects such as virtual buttons that users can perceive themselves pushing. Because ultrasound waves can travel through the air—though only for short distances—they seemed a possible solution for mouth-based haptics, Shen said.

Most people are familiar with medical ultrasound imaging and probes, though these devices are not known for vibrating or otherwise stimulating the skin. It is nevertheless possible to use these acoustic waves, which have frequencies above the threshold of human ears, to create sensations by focusing them into a small area.

This effect is achieved by using multiple ultrasound-generating modules, or transducers. Like any sort of wave, the ultrasound waves produced by one transducer can interfere with those of other transducers—constructively, to amplify the waves, or destructively, to nullify them. "If you time the firing of the transducers just right you can get them all to constructively interfere at one point in space," Shen said. In this case, they targeted those points of peak amplitude on the lips, teeth and tongue. Subtly modulating the ultrasonic output also heightened the effect.

But the sensations are limited primarily to the hands and mouth, Shen said. "You can't really feel it elsewhere; our forearms, our torso—those areas lack enough of the nerve mechanoreceptors you need to feel the sensation," she added.





Vivian Shen, a Ph.D. student in Carnegie Mellon University's Robotics Institute, uses a virtual reality headset equipped with a phased array of ultrasound transducers that provide haptic feedback on the mouth. Credit: Carnegie Mellon University

The CMU device is a phased array of 64 tiny transducers. The flat, half-moon-shaped array is attached to the bottom of VR goggles so it rests just above the mouth.

The haptic effects consist of point impulses, swipes and persistent vibrations targeted on the mouth and synchronized with visual images. A variety of effects were evaluated using 16 volunteers. All the subjects reported that the mouth haptics enhanced their VR experience.



"Without haptics, it was difficult to tell when things were supposed to be touching my face," one volunteer said.

Not all effects were equally useful. Ones that are mouth-specific—such as brushing teeth, feeling raindrops from an open window or feeling a bug walk across the lips—were most successful. Others, such as the feel of walking through cobwebs, proved interesting, but because people expected to feel those sensations over a large part of the body and not just the mouth, the effect was less powerful.

Even drinking from a water fountain, which is mouth-oriented, could be a little disorienting, Shen observed. "It's weird because you feel the water but it's not wet," she said.

"Our <u>phased array</u> strikes the balance between being really expressive and being affordable," Shen said. Further work could add new haptic effects to the catalog and make the device smaller and lighter.

More information: www.figlab.com/research/2022/mouth-haptics

Vivian Shen, Craig Shultz, and Chris Harrison. 2022. Mouth Haptics in VR using a Headset Ultrasound Phased Array. In CHI Conference on Human Factors in Computing Systems (CHI '22), April 29-May 5, 2022, New Orleans, LA, USA.ACM, New York, NY, USA.

Provided by Carnegie Mellon University

Citation: Over the lips, through the gums, look out gamers, here it comes—or so it seems (2022, May 2) retrieved 10 May 2024 from

https://techxplore.com/news/2022-05-lips-gums-gamers-comesor.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.