

The Wall of Wind blows away buildings at Category 5 hurricane strength to aid house engineering, but it's not enough

June 1 2022, by Richard Olson, Ameyu B. Tolera, Arindam Chowdhury and Ioannis Zisis



The Wall of Wind can create Category 5 hurricane winds for testing life-size structures. Credit: Margi Rentis/Florida International University

In an airplane hangar in Miami, engineers are recreating some of the most powerful hurricane winds to ever strike land. These Category 5 winds can shatter a test building in the blink of an eye.

Yet they aren't powerful enough to keep up with nature.

When engineers built the [Wall of Wind](#) test facility 10 years ago at Florida International University, it was inspired by [Hurricane Andrew](#), a monster of a [storm](#) that devastated South Florida in 1992.

The facility was designed to test structures' ability to withstand winds up to 160 miles per hour (257 kilometers per hour). Now, we're seeing the likes of [Hurricane Dorian](#), which shredded neighborhoods in the Bahamas with 184 mph (296 km/h) winds in 2019, and [Hurricane Patricia](#), with winds clocked at 215 mph (346 km/h) off the coast of Mexico in 2015.

Studies show [tropical storms](#) are [ramping up in intensity](#) as the climate changes and ocean and air temperatures rise. Designing homes and infrastructure to withstand future storms like Dorian will require new test facilities that go well beyond today's capabilities—for what we believe should be called Category 6 storms.

The Wall of Wind

There is currently only one life-size test facility at a U.S. university capable of generating Category 5 winds, currently the most powerful level of [hurricane](#). That's the [Wall of Wind](#).

At one end of the facility is [a curved wall of 12 giant fans](#), each as tall as an average person. Working together, they can simulate a 160 mph hurricane. Water jets simulate [wind](#)-driven rain. At the other end, the [building](#) opens up to a large field where engineers can see how and where structures fail and the debris flies.

The powerful tempests that we create here allow us and other engineers to probe for weaknesses in construction and design, track failures

cascading through a building and test innovative solutions in close to real-world storm conditions. Cameras and sensors capture every millisecond as buildings, roofing materials and other items come apart—or, just as important, don't fail.

Ten years of research here have helped builders and designers [reduce the risk of damage](#). That's helpful when forecasters warn, as they do for 2022, of a busy hurricane season with [several major hurricanes](#).

Lessons from hurricane testing

We've [found in destructive testing](#) that a structure will often rip apart in less than a second. All it takes is the wind penetrating the weakest point.

When Hurricane Dorian hit the Bahamas, many less-well-constructed [homes turned into shrapnel](#), creating another problem. Once a building fails, even nearby homes built to withstand higher winds are in trouble because of the flying debris. Our [testing has shown](#) how debris from one building, under continuous winds of 130–140 mph or more, can take out the next building, and then that takes out the next building.

Roofs are often that weakest link. A roof is [subjected to uplift force](#) during a storm, so wind hitting the surface of the building needs to be able to escape. When wind runs into objects in that path, it can cause damage.

New designs are improving how buildings stand up to extreme winds. For example, [storms can create powerful vortices](#)—winds that swirl almost like a corkscrew at a building's edge—that can strip away roofing material and eventually lift the roof itself. One innovation uses a horizontal [wind turbine](#) along the edge of a roof to diffuse the wind and generate power at the same time, a double benefit.

The shape of buildings can also either create weaknesses or help deflect wind. You'll notice that most modern high-rises avoid sharp corners. Testing shows that [more trapezoidal](#) or rounded edges can reduce wind pressures on buildings.

And better safety doesn't have to be costly. One experiment showed how [just US\\$250 in upgrades](#) was the difference between a small, shed-size building standing up to a Category 3 storm—or not. Hurricane straps attach a roof truss to the perimeter of the house. [Ring shank nails](#), which have threads around the shank to grasp the wood, can resist wind forces better than smooth nails. [Hurricane shutters](#) also block entry points where the wind can penetrate and trigger catastrophic failure.

Installation also matters, and helps explain why roofs that appear to meet building code requirements can still fail and go flying in hurricanes.

[Experiments we conducted](#) have shown how an edge system—the metal elements between walls and the roof—that is installed just half an inch too high or low can prematurely fail at low winds, even though the system was designed to withstand a Category 5 hurricane. Roofers installing asphalt shingles and roofing tiles may need to go beyond the current code when sealing edges to [keep them from failing in a storm](#).

Expanding testing: 200 mph winds + storm surge


While engineers have been gaining knowledge through testing, the [nature of storms is changing](#) as the planet warms.

Warmer temperatures—fueled by increasing [greenhouse gas emissions](#) from human activities—enable the air to hold more moisture, and warmer oceans provide more energy to [fuel hurricanes](#). Research shows that [bigger and more intense storms](#) that are heavier with water and moving more slowly are going to hammer the areas they hit with more

wind, [storm surge](#), flooding and debris.

50 years of Atlantic hurricanes

Major hurricanes, with wind speeds of 111 miles per hour and above, have become more common as the planet has warmed.



Named storms become hurricanes at 74 mph (119km/h); Category 3 starts at 111 mph (178 km/h) Credit: Chart: The Conversation/CC-BY-ND Source: National Hurricane Center

[One study estimated](#) that if Hurricane Ike, which devastated Galveston, Texas, in 2008, were to hit in the warmer climate expected in the late 21st century, its winds would be 13% stronger and it would move 17% slower and be 34% wetter.

Storms like these are why we're working with eight other universities to [design a new facility](#) to test construction against 200 mph winds (322 km/h), with a water basin to test the impact of storm surge up to 20 feet

(6 meters) high plus waves.

Computers can model the results, but their models still need to be verified by physical experiments. By combining wind, storm surge, and wave action, we'll be able to see the entire hurricane and how all those components interact to affect people and the built environment.

Disaster testing is finding ways to make homes safer, but it's up to homeowners to make sure they know their structures' weaknesses. After all, for most people, their home is their most valuable asset

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: The Wall of Wind blows away buildings at Category 5 hurricane strength to aid house engineering, but it's not enough (2022, June 1) retrieved 26 April 2024 from <https://techxplore.com/news/2022-06-wall-category-hurricane-strength-aid.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.