


# 3D printing nickel single crystals using laser additive manufacturing technology

July 12 2022



(Left) Laser beam being irradiated on the powder bed and the resulting cylindrical single-crystalline objects produced. (Right) A flat-top laser beam can be applied to form crystals aligned in the same orientation while the application of a conventional Gaussian laser beam results in less oriented crystalline grains. Credit: Tomonori Kitashima/National Institute for Materials Science

NIMS and Osaka University Graduate School of Engineering have succeeded in fabricating a nickel single crystal with only a very few crystalline defects by irradiating nickel powder with a large-radius, flat-top laser beam (i.e., a laser beam whose intensity is uniform across a cross-section of the beam). This technique may be used to fabricate a wide variety of single-crystalline materials, including heat-resistant materials for jet engines and gas turbines.

Previous studies have reported that [single crystals](#) can be fabricated

using [electron beam](#) additive manufacturing. However, this technique requires expensive equipment and its operation is also costly due to the need to create a vacuum, limiting its widespread use. Although laser additive manufacturing can be performed using cheaper equipment, previous efforts to fabricate single crystals using this technique had failed. When a raw metal powder material is irradiated with a laser beam, it melts, forming a solid–liquid interface. It had been difficult to grow grains near the interface in the same direction and to prevent the formation of strain-inducing defects caused by their solidification.

This problem was found to be attributed to the intensity profile of conventional Gaussian [laser beams](#) (i.e., laser beams with a bell-shaped intensity across a cross-section of the beam), which causes the formation of polycrystals composed of less oriented crystalline grains with many grain boundaries.

This NIMS–Osaka University Graduate School of Engineering research team succeeded in fabricating single crystals using a flat-top [laser beam](#), forming a flat melt pool surface on the nickel powders. Individual crystalline grains grew in the same direction with fewer strain-inducing defects. Single crystals without grain boundaries, which are susceptible to cracking, are very strong at high temperatures. This new technique provides a way to minimize strain generation and cracking of crystals during their solidification. In addition, this technique does not require the use of seed crystals, simplifying additive manufacturing processes.

In addition to nickel, this laser additive manufacturing technique can be used to process other metals and alloys into single-crystalline objects. Jet engine and gas turbine components are becoming more complex in shape and lighter, and demand for additive manufacturing of these components using heat-resistant nickel-based superalloys is growing. Because single crystals are stronger than polycrystals at high temperatures, their practical use as heat-resistant materials is promising. Global R&D

efforts to achieve this using cheaper and widely used laser [additive manufacturing](#) technology is expected to intensify rapidly.

This research was published in *Additive Manufacturing Letters*.

**More information:** Dennis Edgard Jodi et al, Manufacturing single crystals of pure nickel via selective laser melting with a flat-top laser beam, *Additive Manufacturing Letters* (2022). [DOI: 10.1016/j.addlet.2022.100066](#)

Provided by National Institute for Materials Science

Citation: 3D printing nickel single crystals using laser additive manufacturing technology (2022, July 12) retrieved 5 May 2024 from <https://techxplore.com/news/2022-07-3d-nickel-crystals-laser-additive.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--