


# Adaptive model predictive current control for PMLSM drive system

July 18 2022, by Liu Jia



Credit: Unsplash/CC0 Public Domain

Permanent magnet linear synchronous motor (PMLSM) has become more prevalent in high-end manufacturing equipment due to its high efficiency, fast transient response and high thrust density.

A number of advanced control strategies, including active disturbance rejection control, model-based predictive control (MPC), and two degrees of freedom current control, have been developed for a high-performance PMLSM drives. Initially applied in the area of the process industry, MPC has become one of the hottest topics for motor drive control at present. MPCs deployed in energy conversion systems involve finite control set MPC (FCS-MPC), and continuous control set MPC (CCS-MPC).

In a study published in *IEEE Transactions on Industrial Electronics*, Prof. Wang Fengxiang's group from Fujian Institute of Research on the Structure of Matter of the Chinese Academy of Sciences proposed an adaptive model predictive current control (AM-MPCC) to solve the parameter dependence problem of CCS-MPC-based current control (CCS-MPCC).

Equipped with a modulator, CCS-MPC produces a constant switching frequency and has a lower current ripple than FCS-MPC. Since the online numerical optimization algorithms are generally very complicated, the calculation burden increases significantly when the input variables of CCS-MPC are optimized online.

The researchers proposed the CCS-MPCs without the requirement of online calculation to decrease the difficulty of controller implementation. They expressed the CCS-MPC solution as an explicit function of the system state by solving the [optimization problem](#) offline. While the CCS-MPC approach obtains a small current ripple, low computational cost, and fast transient response, it is vulnerable to inevitable parameter variations in real applications.

Additionally, they proposed a robust current-control scheme by introducing the steepest descent method-based adaptive disturbance observer. Although it is extensively used for its intuitive structure and

simple implementation, the Luenberger observer cannot precisely observe the system state if the parameter varies rapidly. Nevertheless, sliding mode observers deployed in digital controllers produce a serious chattering noise.

Benefiting from the compensated predictive model, DO-MPC has an advantage over conventional CCS-MPC in robustness against parameter mismatches and external perturbation. However, the bandwidth of the DO-MPC controller cannot be immune to inductance variations. Experiments have been carried out on a Zynq-based hardware prototype, and the results validated that the proposed method is superior to CCS-MPCC and DPCC+ASCDO in the robustness against parameter mismatches.

Furthermore, the researchers evaluated the proposed AM-MPCC on a Zynq-based hardware prototype. They utilized the proposed AM-MPCC strategy to substitute CCS-MPCC to gain better parameter robustness, provided the  $I_d$ ,  $I_q$ ,  $V_{dc}$ , and  $V_{qc}$  for the coefficient optimizer to generate  $\Lambda_d$  and  $\Lambda_q$ , and fed the optimized  $\Lambda_d$  and  $\Lambda_q$  into DSMDO to estimate the parameter mismatches  $f_d$  and  $f_q$ .

**More information:** Fengxiang Wang et al, Adaptive Model Predictive Current Control for PMLSM Drive System, *IEEE Transactions on Industrial Electronics* (2022). [DOI: 10.1109/TIE.2022.3179550](https://doi.org/10.1109/TIE.2022.3179550)

Provided by Chinese Academy of Sciences

Citation: Adaptive model predictive current control for PMLSM drive system (2022, July 18) retrieved 18 June 2024 from <https://techxplore.com/news/2022-07-current-pmlsm.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.