

# A new type of soft robotic actuator that can be scaled down to just one centimeter

July 28 2022, by Bob Yirka



Credit: *Science Robotics* (2022). DOI: 10.1126/scirobotics.abn4155

A team of researchers at Istituto Italiano di Tecnologia's Bioinspired Soft Robotics Laboratory has developed a new pleat-based soft robotic actuator that can be used in a variety of sizes, down to just 1 centimeter. In their paper published in the journal *Science Robotics*, the group

describes the technology behind their new actuator and how well it worked when they tested it under varied circumstances.

Engineers working on soft robotics projects have often found themselves constrained by standard pneumatic artificial muscle actuators, which tend to only work well at a given size due to the large number of complex parts. In this new effort, the researchers have added a new feature to such actuators that requires fewer parts, resulting in a smaller actuator.

Pneumatic artificial muscle actuators work by pumping air in and out of small balloon-like sacs, simulating [muscle](#) activity. Not only do they expand and contract, but they are also bendable because they are made using resins. When used in conjunction with other parts, such as hands, the artificial muscles allow for gripping and twisting. To reduce the number of complex parts, the researchers adjusted the sacs by added pleats. This reduces the size of the sacs as air is withdrawn without having to add other parts, making them useful in much smaller devices. The researchers also used a resin that was more flexible than those typically used in such work.

The researchers 3D printed their actuators, which allowed a wide variety of sizes. They have named the results GeometRy-based Actuators that Contract and Elongate (GRACE).

They tested GRACE in different circumstances, based mostly on size. They built one [actuator](#), for example, that was just 1 cm across and another one that weighed just 8 grams, added it to a grasper, and found it capable of lifting up to 8 kilograms. They also built a [robot hand](#) sized to approximate a human [hand](#) using 18 different-sized actuators. Testing showed it capable of bending its fingers, rotating at the wrist and twisting at its palm.

**More information:** Corrado De Pascali et al, 3D-printed biomimetic artificial muscles using soft actuators that contract and elongate, *Science Robotics* (2022). [DOI: 10.1126/scirobotics.abn4155](https://doi.org/10.1126/scirobotics.abn4155)

© 2022 Science X Network

Citation: A new type of soft robotic actuator that can be scaled down to just one centimeter (2022, July 28) retrieved 26 April 2024 from <https://techxplore.com/news/2022-07-soft-robotic-actuator-scaled-centimeter.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.