


Researchers discover innovative approach to make novel lithium-ion battery materials

August 10 2022



Characterization of the as-prepared NCNO. Credit: Pete Barnes et al, *Nature Materials* (2022). DOI: 10.1038/s41563-022-01242-0

Researchers at Boise State University have developed a new approach to making novel lithium-ion battery materials. Starting from an amorphous (i.e., a material lacking long-range order) niobium oxide, the team

discovered that the very act of cycling the material with lithium induces a transformation to a novel crystalline Nb_2O_5 anode with exceptional Li storage and fast cycling. This process can potentially be used to make other lithium-ion battery materials that cannot be easily made via traditional means.

The study, jointly led by researchers in the labs of Hui (Claire) Xiong, a professor of materials science and engineering at Boise State University, and Shyue Ping Ong, a professor of nanoengineering at the University of California San Diego, was published in *Nature Materials*.

The discovery of new materials for [lithium-ion batteries](#) has taken on a renewed urgency. Fueled by rising gas prices, there has been a surge in demand for [electric vehicles](#) (EVs), and with it, for the lithium-ion batteries that power them. However, today's lithium-ion batteries are still too expensive and charge too slowly.

"Lithium-ion batteries are the leading technology for the rechargeable battery market, but there's also an increase in the demand for the battery to have [high energy](#), and faster charging times," said Pete Barnes, a Ph.D. alumnus of Xiong's Electrochemical Energy Materials Lab in the Micron School of Materials Science and Engineering and the lead author of the work. "If you want to charge your EV for 15 minutes and then get on the road for the next 200 or 300 miles, you need new battery electrodes that can be charged at a very fast rate without much loss in performance."

Among one of the biggest bottlenecks to charging in today's lithium-ion batteries is the anode. The most common anode is made of graphite, which is very energy dense, but cannot be charged too quickly due to the risk of fire and explosions from a process known as lithium metal plating. Intercalation metal oxides, like the [rock salt](#) Nb_2O_5 material discovered by the team, are promising anode alternatives due to the

reduced risk of lithium plating at low voltages.

To create the new anode material, Xiong's group developed an innovative new technique called electrochemically-induced amorphous-to-crystalline transformation. The new electrode can achieve high lithium storage of 269 mAh/g at a charging rate of 20 mA/g, and more importantly, continues to retain a high capacity of 191 mAh/g at a high charging rate of 1 A/g.

"The most exciting aspect of this work is the discovery of a completely new approach to create novel lithium-ion battery electrodes," said Xiong. "The trick is to start from a higher energy phase, such as an amorphous material. Just cycling the material with lithium allows us to create new crystalline arrangements that exhibit improved properties beyond those made via traditional means such as solid-state reactions."

The exceptional rate performance of the anode is due to its disordered rock salt or DRX structure, which is like ordinary kitchen table salt but with the Li and Nb atoms arranged in a random fashion. While DRX cathode materials are well-known, DRX anodes are relatively rare. Using computational techniques, Yunxing Zuo, a Ph.D. alumnus of Ong's Materials Virtual Lab at UC San Diego, showed that the process of inserting Li into amorphous Nb_2O_5 allows materials scientists to access metastable materials. The team also developed a metric to identify other metal oxides that can potentially be synthesized in a similar fashion. The computations also show that the DRX structure contains paths for fast lithium diffusion, resulting in high rate performance.

"We believe this work to be merely the beginning of a completely new way of thinking about materials synthesis," said Ong. "Atoms like to arrange themselves in certain ways. When we make materials the traditional way, we usually get the same arrangements again and again. This new approach opens up a promising avenue for creating other

unconventional metal oxides."

The team also collaborated with Drs. Sungsik Lee, Justin Connell, Hua Zhou, and Yuzi Liu from Argonne National Laboratory, Profs. Paul Davis, Paul Simmonds, and Dr. Darin Schwartz from Boise State, and Drs. Yingge Du and Zihua Zhu from the Pacific Northwest National Laboratory.

More information: Pete Barnes et al, Electrochemically induced amorphous-to-rock-salt phase transformation in niobium oxide electrode for Li-ion batteries, *Nature Materials* (2022). [DOI: 10.1038/s41563-022-01242-0](https://doi.org/10.1038/s41563-022-01242-0)

Provided by Boise State University

Citation: Researchers discover innovative approach to make novel lithium-ion battery materials (2022, August 10) retrieved 9 December 2023 from <https://techxplore.com/news/2022-08-approach-lithium-ion-battery-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.