

New dataset shows the value of building flexibility to the energy grid

August 5 2022, by Wayne Hicks



Credit: Pixabay/CC0 Public Domain

Researchers at the National Renewable Energy Laboratory (NREL) ran hundreds of millions of simulations to gauge the contribution buildings make to gross grid value and created a publicly available dataset for others to use.

The effort marks the first study that estimates the gross value (including capacity, energy, and ancillary service values) of generic building flexibility in future power systems projected for the contiguous United States using computer modeling. Building flexibility refers to a building's capability to shed, shift, and modulate [electricity demand](#).

"In traditional energy-sector analysis, the supply side and the demand side have been very much separated," said Ella Zhou, a senior researcher within the Grid Operations Group in NREL's Grid Planning and Analysis Center and lead author of a new paper outlining the findings. "We have our grid models that are almost exclusively focusing on the supply side, and then the building model exclusively focusing on the demand side. Our project was one of the first attempts at bridging these two worlds together."

The paper, "Building Flexibility Revenue in Modeled Future Bulk Power Systems with Varying Levels of Renewable Energy," appears in the journal *Heliyon*. Zhou's co-authors, all from NREL, are Elaine Hale and Elaina Present. An [accompanying dataset](#) is publicly available.

Buildings, both commercial and residential, account for almost three-fourths of electricity use in the United States. The newly published research suggests buildings could obtain substantial revenue by optimizing their electricity usage in just a handful of hours per year.

The report considers three scenarios for 2030, each drawn from NREL's [2019 Standard Scenarios Report: A U.S. Electricity Sector Outlook](#), which involve varying degrees of renewable energy. The new study is technology-neutral and could be used to examine the gross grid service value from any existing or new building technology. The dataset and analysis cover the contiguous United States.

The Department of Energy's Building Technologies Office, which

funded the research, recently released the [National Roadmap for Grid-Interactive Efficient Buildings](#). This roadmap is part of the department's goal of tripling energy efficiency and demand flexibility in residential and [commercial buildings](#) by 2030, relative to 2020 levels, and was developed in part using modeling tools developed by NREL.

Zhou said the new research also could help the Department of Energy set goals. She said the information can be used to set cost targets for building technologies.

Because electricity generated by wind or solar is variable in nature, the grid needs to operate with more flexibility especially as the amount of renewable energy resources increases. Buildings also require flexibility as the majority user of U.S. electricity and must be able to shed, shift, and modulate the power load. With these capabilities, the researchers noted, buildings can provide a range of grid services including capacity, energy, and ancillary services.

Companies investing in building technology or [energy](#) aggregators need to know the potential revenues that come from providing grid services, including what time of day and what part of the country. The new paper estimates the gross grid service revenue for a kilowatt-hour (kWh) in a range of simulated future power systems at the national scale.

The researchers estimated the hourly gross value of a marginal kilowatt-hour of flexible building load based on various simulated grid conditions. They calculated the monthly mean gross value of building load shifting—or consuming more power outside of peak demand when the price is cheaper—is as high as 38 cents a kWh per day. A follow-up study, yet unpublished, put the figure for 2050 at as much as 156 cents per kWh.

The second-phase study indicates that 1 kWh of flexible building load

can provide up to \$105 in gross grid service value by optimizing its electricity usage for 20 hours out of an entire year. It can also be optimized to provide carbon emission reduction benefits. The research highlights the importance of creating appropriate price mechanisms to incentivize the type of desirable grid response from the building sector.

Previous studies done by other researchers focus on how a building can save money on electric bills, rather than on their value to the broader power system. Studies that attempted to investigate building flexibility's grid value often are limited, such as focusing on a single building or based on specific building technologies. The framework built in this work enables the evaluation of the [grid](#) services value and carbon emission impact of any building technology in any subsector in a variety of future power system scenarios, which can inform the development of cost targets and market mechanisms for [building](#) flexibility technologies.

More information: Ella Zhou et al, Building flexibility revenue in modeled future bulk power systems with varying levels of renewable energy, *Heliyon* (2022). [DOI: 10.1016/j.heliyon.2022.e09865](https://doi.org/10.1016/j.heliyon.2022.e09865)

Provided by National Renewable Energy Laboratory

Citation: New dataset shows the value of building flexibility to the energy grid (2022, August 5) retrieved 2 May 2024 from

<https://techxplore.com/news/2022-08-dataset-flexibility-energy-grid.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.