


Eco-friendly solar cells improve power generation efficiency by resolving defects

August 12 2022



The DGIST Thin Film Solar Cell Research Center worked with Professor Kim Se-yoon of the Department of New Material Engineering at Kyungnam University to investigate the cause of pore formation, a

problem in CZTS thin-film solar cells, which are eco-friendly general-purpose thin-film solar cells. The team has now developed a technology to overcome this problem.

Solar cells, which generate electricity by converting [light energy](#) from the sun into [electrical energy](#), are sustainable new renewable energy and can be easily found in everyday life. Among them, CZTS thin film is easy to mass-produce because it uses copper, tin, and zinc as its main materials, which are inexpensive and have little toxicity. In addition, due to its bending property, it can be applied to various fields. In 2019, the DGIST Thin Film Solar Cell Research Center developed a solar cell with the world's highest power conversion efficiency of 12.6%. However, it still needs a solution to various defects such as pores of various sizes generated near the lower electrode (pore defects).

The DGIST Thin Film Solar Cell Research Center and the research team led by Kim Se-yoon from Kyungnam University investigated the cause of pore formation under the absorption layer, which is a problem with CZTS thin-film solar cells. It has greater significance because it is a technology that can control pore defects using a relatively simple principle. The CZTS absorber layer is produced by coating copper, zinc, and tin in random order and then reacting them with sulfur and selenium at high temperatures. At this time, it was confirmed that large pores were not formed when zinc was coated first. This is a source technology that can suppress pore formation and is expected to further increase the power generation efficiency of CZTS-based thin film [solar cells](#).

DGIST Senior Researcher Kim Dae-hwan says that "as major achievements of this study, we presented a new pore inhibition model different from the ordinary model and developed a technology that can inhibit pore formation defects in a simple way."

"In this study, we induced change in the microstructure during the [initial](#)

[reaction](#) by changing the deposition order of the metal thin film and we were able to suppress [pore](#) formation by doing so," said Professor Kim Se-yoon Kim of Kyungnam University. "In addition, we will make efforts to secure process technology that resolves the problem of pores of two different sizes at once."

The research was published in *ACS Applied Materials and Interface*.

More information: Se-Yun Kim et al, Effect of Metal-Precursor Stacking Order on Volume-Defect Formation in CZTSSe Thin Film: Formation Mechanism of Blisters and Nanopores, *ACS Applied Materials & Interfaces* (2022). [DOI: 10.1021/acsami.2c01892](https://doi.org/10.1021/acsami.2c01892)

Provided by DGIST (Daegu Gyeongbuk Institute of Science and Technology)

Citation: Eco-friendly solar cells improve power generation efficiency by resolving defects (2022, August 12) retrieved 4 May 2024 from <https://techxplore.com/news/2022-08-eco-friendly-solar-cells-power-efficiency.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--