


Researchers use multicomponent alloys to make strong and ductile soft magnetic materials

August 11 2022, by Yasmin Ahmed Salem



Making soft magnetic materials more ductile and stronger through nanoparticles.
Credit: Tianyi You, Max-Planck-Institut für Eisenforschung GmbH


Soft magnetic materials (SMMs) applied in electric engines transform energy from sustainable resources into electricity. Conventional SMMs, which are currently used in industry, are prone to damage under severe

mechanical loads. Researchers from the Max-Planck-Institut für Eisenforschung (MPIE), the Technical University of Darmstadt and the Central South University, China, have developed a new design strategy that increases the lifetime of SMMs and paves the way for advanced applications like high-speed motors. They published their recent findings in the journal *Nature*.

Introducing nanoparticles for increase in strength and ductility

"The current problem we are facing in conventional soft magnetic materials is the trade-off between being magnetic soft on the one hand, and mechanically strong on the other hand," explains Liuliu Han, doctoral researcher at the MPIE and first author of the publication. Higher strength in materials is usually achieved through the implementation of microstructural features such as precipitations and defects. According to the state of the art, introducing these nanoparticles into soft magnetic materials will pin the movement of the domain walls thus decrease the magnetizing force. The scientists discovered that the size of the nanoparticles plays a crucial role for both the mechanical strength and ductility of the magnets and their magnetism.

"Till now it was assumed that smaller nanoparticles interact less with the domain walls and are therefore preferred. However, quite the opposite is true. We implemented particles that are slightly below the domain wall width. This coarsening means a smaller specific surface area and reduced the internal stress level so that the magnetic properties were not affected," says Han.



Comparison of the mechanical and functional property spectra of the new multicomponent alloy. Credit: *Nature* (2022). DOI: 10.1038/s41586-022-04935-3

Multicomponent alloy system for advanced soft magnets

The researcher team realized this design idea in a multicomponent alloy system, derived from the high entropy alloy concept, containing iron, nickel, cobalt, tantalum and aluminum with multifunctional properties, which is not common for conventional soft magnets mainly targeting soft [magnetic properties](#). In addition, materials based on the new alloy system are easier to manufacture and have a higher lifetime than the conventional magnetic materials.

"With the help of computational calculations and [machine learning](#), we

are now trying to find ways to reduce the cost of the proposed alloy by reducing the amount of the containing expensive elements, such as cobalt, and by finding substitutes with similar properties," says Dr. Fernando Maccari, postdoctoral researcher in the Functional Materials group at TU Darmstadt and second author of the publication. Magnetic properties were investigated at TU Darmstadt, whereas the design of the composition and the characterization of the alloy was done at the MPIE.

The alloy composition used here serves as a model system for multicomponent alloys. The concept of using multicomponent alloys is not limited to soft magnetic materials, but is applicable for advanced [alloys](#) with new and unusual combinations of functional and mechanical properties.

More information: Liuliu Han et al, A mechanically strong and ductile soft magnet with extremely low coercivity, *Nature* (2022). [DOI: 10.1038/s41586-022-04935-3](https://doi.org/10.1038/s41586-022-04935-3)

Provided by Max-Planck-Institut für Eisenforschung GmbH

Citation: Researchers use multicomponent alloys to make strong and ductile soft magnetic materials (2022, August 11) retrieved 2 May 2024 from <https://techxplore.com/news/2022-08-multicomponent-alloys-strong-ductile-soft.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--