

New path for next-generation polymer-based battery design

August 3 2022



Alfred Deakin Professor Maria Forsyth and Dr Fangfang Chen. Credit: Deakin University

A breakthrough from Deakin University researchers could help address a major obstacle in the development of environmentally-friendly, cost effective, polymer-based batteries.

The team from Deakin's Institute for Frontier Materials (IFM) used [computer](#) modeling and simulations to design a new type of solid-state polymer electrolyte, showing its potential use in various types of polymer-based solid-state batteries, particularly sodium and potassium batteries.

Polymer-based batteries are able to support high-energy density metals in all solid-state batteries. They use polymer as the ion conductor rather than flammable organic liquid solvents in current lithium-ion batteries. Therefore, a polymer-based solid-state battery offers an energy storage option that is greener, safer and providing a higher capacity, meaning more energy.

Lead researcher Dr. Fangfang Chen said the team used a cost-effective, computer-to-lab material design strategy, applying modeling and simulations to find the best compositions for polymer electrolytes.

"This work has been devoted to developing new polymer electrolyte chemistries that can be used with high-energy metals that are more abundant and less expensive than lithium, such as sodium and potassium," Dr. Chen says.

"The new materials can contribute to a more sustainable, greener future battery technology, as well as providing society with safer, high-performance energy storage devices."

Alfred Deakin Professor Maria Forsyth said the work expands current knowledge of these new [electrolyte](#) systems.

"Major battery companies, such as LG Chemistry, set a road map to develop next-generation polymer-based solid-state batteries," Prof. Forsyth says.

"Lithium-based technology is expensive, in-demand and increasingly scarce, so breakthroughs that provide alternative, inexpensive and safe energy storage options are of major significance.

"We can now offer an alternative path to realizing polymer-based [solid-state batteries](#). This is a [significant milestone](#) and this process will act as

a design criterion for further development in this field of research."

The research is the second significant finding published by IFM researchers in the journal *Nature Materials* within a month. In early July, a team led by Dr. Xiaoen Wang and Prof. Forsyth developed [a solid polymer electrolyte material](#) that can replace the flammable liquid solvents currently used in sodium batteries. The newest breakthrough demonstrates how computer-to-lab research is a cost-effective way to drive new discovery for advanced batteries, which are much needed for energy-hungry applications.

Prof. Forsyth said the back-to-back discoveries have designed two effective, efficient polymer electrolytes from "different angles."

"This reflects IFM's leading position in the field of [polymer electrolytes](#)," she says.

More information: Fangfang Chen et al, Cationic polymer-in-salt electrolytes for fast metal ion conduction and solid-state battery applications, *Nature Materials* (2022). [DOI: 10.1038/s41563-022-01319-w](#)

Provided by Deakin University

Citation: New path for next-generation polymer-based battery design (2022, August 3) retrieved 9 April 2024 from <https://techxplore.com/news/2022-08-path-next-generation-polymer-based-battery.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--