


Storing hydrogen fuel in salts—a step toward 'cleaner' energy production

October 19 2022



Make use of greenhouse gas CO₂
Higher H₂ content (4.35 wt%)
Thermodynamically favoured

Acidic, volatile, corrosive, toxic
High CO₂ concentration necessary
Undesired CO₂ release & re-capture

Pros

Solid materials & large availability
Easy handling & soluble in water
Nontoxic, nonvolatile, noncorrosive, nonacidic

Cons

Lower H₂ content (up to 2.85 wt%)
Undesired CO₂ formation

Different concepts of chemical hydrogen storage and release based on the interconversion of CO₂/formic acid (left) and (bi)carbonate/formate (right). Credit: *ACS Central Science* (2022). DOI: 10.1021/acscentsci.2c00723

Hydrogen gas could someday replace fossil fuels as a "clean" energy source, producing only water and energy. However, handling large quantities of gaseous hydrogen is cumbersome, and converting it to a liquid requires vessels that can withstand extremely high pressures. Now, researchers reporting in *ACS Central Science* have developed a method to store and release highly pure hydrogen with salts in the presence of

amino acids.

The reversible storage of hydrogen in solid salts has emerged as one potential way to make the fuel easier to transport and handle, but the reactions to do this require precious metals as catalysts and may produce carbon dioxide as an unwanted byproduct. So, Henrik Junge, Matthias Beller and colleagues developed effective storage-release systems with both bicarbonate and carbonate salts, as well as manganese, which is a more widely available metal catalyst.

The researchers found that converting bicarbonate and hydrogen into formate, and vice versa, was most effective with potassium salts, a manganese-based catalyst and lysine—an amino acid that acted as an additional promoter and reacted with [carbon dioxide](#) to capture it—at reaction temperatures below 200 F. After five storage-release cycles, the reaction system produced hydrogen with a high yield (80%) and purity (99%).

The team also showed that carbonate salts and [glutamic acid](#) can be part of the reusable storage-release system with hydrogen yields up to 94%. This technique paves the way for large-scale hydrogen storage in solids, the researchers say.

More information: Duo Wei et al, Manganese Promoted (Bi)carbonate Hydrogenation and Formate Dehydrogenation: Toward a Circular Carbon and Hydrogen Economy, *ACS Central Science* (2022). [DOI: 10.1021/acscentsci.2c00723](https://doi.org/10.1021/acscentsci.2c00723)

Provided by American Chemical Society

Citation: Storing hydrogen fuel in salts—a step toward 'cleaner' energy production (2022,

October 19) retrieved 15 April 2024 from <https://techxplore.com/news/2022-10-hydrogen-fuel-saltsa-cleaner-energy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.