


Important breakthrough in quantum computing could lead to more efficient batteries and solar cells

October 11 2022



Qubit layout for implementing two Fermi-Hubbard instances. (a) 1×8 instance, (b) 2×4 instance. In each case two qubits are used to encode each site.

Operations between qubits in variational layers occur in the following pattern. 1×8 : blue (FSWAP), red (onsite), blue (FSWAP), red (vert1), green (vert2). 2×4 : blue (FSWAP), red (onsite), blue (FSWAP), red (horiz + FSWAP), green (vert), red (FSWAP), green (vert). Vertical interaction parameters for 2×4 depend on the parity of the row index. Gray circles denote the unused qubits on the 23-qubit Rainbow chip. Credit: *Nature Communications* (2022). DOI: 10.1038/s41467-022-33335-4

Researchers from the University of Bristol, quantum start-up, Phasecraft and Google Quantum AI have revealed properties of electronic systems that could be used for the development of more efficient batteries and solar cells.

The findings, published in *Nature Communications* today, describes how the team has taken an important first step towards using quantum computers to determine low-energy properties of strongly-correlated electronic systems that cannot be solved by [classical computers](#). They did this by developing the first truly scalable algorithm for observing ground-state properties of the Fermi-Hubbard model on a quantum computer. The Fermi-Hubbard model is way of discovering crucial insights into electronic and magnetic properties of materials.

Modeling quantum systems of this form has significant practical implications, including the design of new materials that could be used in the development of more effective [solar cells](#) and batteries, or even high-temperature superconductors. However, doing so remains beyond the capacity of the world's most powerful supercomputers. The Fermi-Hubbard model is widely recognized as an excellent benchmark for near-term quantum computers because it is the simplest materials system that includes non-trivial correlations beyond what is captured by classical methods. Approximately producing the lowest-energy (ground) state of the Fermi-Hubbard model enables the user to calculate key physical properties of the model.

In the past, researchers have only succeeded in solving small, highly simplified Fermi-Hubbard instances on a quantum computer. This research shows that much more ambitious results are possible. Leveraging a new, highly [efficient algorithm](#) and better error-mitigation techniques, they successfully ran an experiment that is four times larger—and consists of 10 times more quantum gates—than anything previously recorded.

"The Fermi-Hubbard instance in this experiment represents a crucial step towards solving realistic materials systems using a quantum [computer](#)," said Professor of Quantum Computation at the University of Bristol, Ashley Montanaro and Phasecraft co-founder. "We succeeded

by developing the first truly scalable algorithm that anyone has managed to implement for the Fermi-Hubbard model. That's particularly exciting because it suggests that we will be able to scale our methods in order to leverage more powerful quantum computers as the hardware improves."

Phasecraft brings together many of the world's leading quantum scientists and engineers and partners with the world's leading developers of quantum hardware. Their research has led to fundamental breakthroughs in quantum science and is aimed at significantly reducing the timescale for quantum advantage in several critical areas. Beyond developing algorithms that will be able to scale to larger quantum computers, the Phasecraft team is also focused on continuing to build practically relevant features into their models so that they more accurately represent real-world systems.

"We are delighted to see this experiment designed and executed by Phasecraft, representing one of the largest digital fermionic simulations to-date, and also one of the largest variational algorithms to-date, performed on Google's quantum computing hardware," says Ryan Babbush, Head of Quantum Algorithms at Google AI. "The scalability of their approach derives from being state-of-the-art in terms of both error-mitigation and [algorithm](#) compilation for near-term quantum hardware."

"This experiment represents a new milestone. It tells us what today's quantum computers are capable of when we apply the best algorithmic technology available," says Stasja Stanisic, Senior Quantum Engineer at Phasecraft, the paper's lead author. "We can build on this work to develop better algorithms and better encodings of realistic problems for today's devices."

More information: Stasja Stanisic et al, Observing ground-state properties of the Fermi-Hubbard model using a scalable algorithm on a quantum computer, *Nature Communications* (2022). [DOI:](#)

[10.1038/s41467-022-33335-4](https://doi.org/10.1038/s41467-022-33335-4)

Provided by University of Bristol

Citation: Important breakthrough in quantum computing could lead to more efficient batteries and solar cells (2022, October 11) retrieved 30 January 2023 from <https://techxplore.com/news/2022-10-important-breakthrough-quantum-efficient-batteries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.