

Robots that can feel cloth layers may one day help with laundry

October 26 2022, by Stacey Federoff



New research from the Robotics Institute can help robots feel layers of cloth, which could one day allow robots to assist people with household tasks like folding laundry. Credit: Carnegie Mellon University

New research from Carnegie Mellon University's Robotics Institute can help robots feel layers of cloth rather than relying on computer vision

tools to only see it. The work could allow robots to assist people with household tasks like folding laundry.

Humans use their senses of sight and touch to grab a glass or pick up a piece of cloth. It is so routine that little thought goes into it. For robots, however, these tasks are extremely difficult. The amount of data gathered through touch is hard to quantify and the sense has been hard to simulate in robotics—until recently.

"Humans look at something, we reach for it, then we use touch to make sure that we're in the right position to grab it," said David Held, an assistant professor in the School of Computer Science and head of the Robots Perceiving and Doing (R-Pad) Lab. "A lot of the tactile sensing humans do is natural to us. We don't think that much about it, so we don't realize how valuable it is."

For example, to fold laundry, robots need a sensor to mimic the way a human's fingers can feel the top layer of a towel or shirt and grasp the layers beneath it. Researchers could teach a robot to feel the top layer of cloth and grasp it, but without the robot sensing the other layers of cloth, the robot would only ever grab the top layer and never successfully fold the cloth.

"How do we fix this?" Held asked. "Well, maybe what we need is tactile sensing."

[ReSkin](#), developed by researchers at Carnegie Mellon and Meta AI, was the ideal solution. The open-source touch-sensing "skin" is made of a thin, elastic polymer embedded with [magnetic particles](#) to measure three-axis tactile signals. In a recent paper, researchers used ReSkin to help the robot feel layers of cloth rather than relying on its vision sensors to see them.

"By reading the changes in the magnetic fields from depressions or movement of the skin, we can achieve tactile sensing," said Thomas Weng, a Ph.D. student in the R-Pad Lab, who worked on the project with RI postdoc Daniel Seita and grad student Sashank Tirumala. "We can use this tactile sensing to determine how many layers of cloth we've picked up by pinching with the sensor."

Other research has used tactile sensing to grab rigid objects, but cloth is "deformable," meaning it changes when you touch it—making the task even more difficult. Adjusting the robot's grasp on the cloth changes both its pose and the sensor readings.

Researchers didn't teach the robot how or where to grasp the fabric. Instead, they taught it how many layers of fabric it was grasping by first estimating how many layers it was holding using the sensors in ReSkin, then adjusting the grip to try again. The team evaluated the robot picking up both one and two layers of cloth and used different textures and colors of cloth to demonstrate generalization beyond the [training data](#).

The thinness and flexibility of the ReSkin sensor made it possible to teach the robots how to handle something as delicate as layers of cloth.

"The profile of this sensor is so small, we were able to do this very fine task, inserting it between cloth layers, which we can't do with other sensors, particularly optical-based sensors," Weng said. "We were able to put it to use to do tasks that were not achievable before."

There is plenty of research to be done before handing the laundry basket over to a [robot](#), though. It all starts with steps like smoothing a crumpled cloth, choosing the right number of layers of cloth to fold, then folding the cloth in the right direction.

"It really is an exploration of what we can do with this new sensor,"

Weng said. "We're exploring how to get robots to feel with this magnetic skin for things that are soft, and exploring simple strategies to manipulate cloth that we'll need for robots to eventually be able to do our laundry."

The team's research paper "Learning to Singulate Cloth Layers Using Tactile Feedback" will be presented at the 2022 International Conference on Intelligent Robots and Systems, Oct. 23–27 in Kyoto, Japan. It also received the Best Paper award at the conference's 2022 RoMaDO-SI workshop.

More information: Paper: [Learning to Singulate Cloth Layers Using Tactile Feedback](#)

Conference: [International Conference on Intelligent Robots and Systems](#)

Provided by Carnegie Mellon University

Citation: Robots that can feel cloth layers may one day help with laundry (2022, October 26) retrieved 18 April 2024 from <https://techxplore.com/news/2022-10-robots-layers-day-laundry.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.