


# Stabilizing lithium-ion batteries with a microbially synthesized electrolyte additive

November 30 2022



**Additive for Cathode Material**

Conceptual diagram of  $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$  cathode stabilization by DMBAP additive. The polymerizable functional  $\text{NH}_2$  group makes DMBAP an ideal

stabilizer. Credit: Noriyoshi Matsumi from JAIST.

High energy density lithium-ion (Li-ion) batteries are indispensable for powering electric and hybrid vehicles, next-generation electronics, and power grids. These Li-ion batteries contain high energy density cathodes based on transition metal oxides. Among numerous investigated potential materials, the  $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$  cathode has been shown to deliver the best performance at a high potential of 4.5 V versus Li/Li<sup>+</sup> with high reversible capacity.


However, at such high potentials, the carbonate species in commercial electrolytes—ethylene carbonate and diethyl carbonate—undergo excessive oxidative decomposition. This, in turn, forms a thick [cathode](#) electrolyte interphase (CEI) on the cathode surface, severely compromising its performance. Consequently, researchers have explored electrolyte additives as a way to restrict performance degradation by masking and stabilizing the cathode surface. However, currently available options pose safety and environmental hazards.

Recently, a team of researchers, led by Professor Noriyoshi Matsumi from Japan Advanced Institute of Science and Technology (JAIST), microbially synthesized 2,5-dimethyl-3,6-bis(4-aminobenzyl)pyrazine (DMBAP), a bio-based compound, as a potential additive for stabilizing the  $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$  cathodes. What sets their approach apart is the fact that, unlike existing additives, DMBAP is sustainable, eco-friendly, cost-effective, and non-toxic.

The team comprised Former Senior Lecturer Rajashekar Badam, Postdoctoral Research Fellow Agman Gupta, and Doctoral Course Student Noriyuki Takamori from JAIST, along with Profesr Naoki Takaya, Assistant Professor Shunsuke Masuo, and Former Graduate

Student Hajime Minakawa from the University of Tsukuba in Japan. Their findings have been published in *Scientific Reports*.

"Although biomass-derived materials attract both researchers and the society in general, their applications in electric devices, including [lithium-ion batteries](#), are still limited. This study focuses on novel microbial metabolites, particularly the unique pyrazine-derived diamine DMBAP from the gene cluster of *Pseudomonas fluorescens* SBW25, discovered in collaboration with Prof. Masuo. Its role as an electrolyte additive could impact the fields of sustainability and smart-cell industry," explains Prof. Takaya, speaking of the motivation behind the study.



Band energy comparison between the electrolyte components, ethylene carbonate (EC), diethyl carbonate (DEC), and DMBAP additive, respectively with their corresponding density functional theory-optimized structures. Credit: Noriyoshi Matsumi from JAIST.

An initial theoretical evaluation revealed that the highest occupied molecular orbital (HOMO) of the DMBAP molecule was located at a higher position compared to a general-purpose electrolyte. This allowed it to be oxidized easily at the cathode surface and form a protective layer over it. In addition, the diamine in DMBAP prevented the dissolution of CEI.

The team additionally performed a detailed electrochemical evaluation of DMBAP for further analysis. The HOMO band energy was confirmed using linear sweep voltammetry, while X-ray photoelectron spectroscopy revealed C–N=C peaks indicative of oxidative electropolymerization.

Cyclic voltammetry and charge-discharge studies showed that the DMBAP additive stabilized the  $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$  cathode by improving the battery's rate capability, cyclic stability, coulombic efficiency, and capacity retention. Moreover, dynamic electrochemical impedance spectroscopy experiments demonstrated the formation of a low interfacial resistance CEI.

Based on these results, the team concluded that the DMBAP underwent sacrificial oxidative decomposition, forming an organic passivation armor on the cathode surface. This, in turn, restricted excessive electrolyte degradation and stabilized the structure of transition metal oxides on the cathode.

In effect, this virtuous phenomenon increases the operating potential window of  $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$  cathode to 4.5 V versus  $\text{Li/Li}^+$ . Moreover, the stabilizing effect of DMBAP on the battery system was remarkable for both half-cell and full-cell configurations.

"Microbially prepared pyrazine-amine compound DMBAP will boost the

performance of lithium-ion secondary batteries essential for next-generation electric vehicles and drones. It will also promote the wider utilization of bio-based resources in the huge-scale automotive industry. Further, [bio-based materials](#) for energy storage devices will doubly reduce [carbon dioxide emissions](#)—during manufacturing and operation," says Prof. Matsumi, discusses the future benefits of their work.

**More information:** Agman Gupta et al, Microbial pyrazine diamine is a novel electrolyte additive that shields high-voltage  $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$  cathodes, *Scientific Reports* (2022). [DOI: 10.1038/s41598-022-22018-1](#)

Provided by Japan Advanced Institute of Science and Technology

Citation: Stabilizing lithium-ion batteries with a microbially synthesized electrolyte additive (2022, November 30) retrieved 22 March 2023 from <https://techxplore.com/news/2022-11-stabilizing-lithium-ion-batteries-microbially-electrolyte.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.