


Space-frequency-polarization-division multiplexing of information metasurface for powerful wireless communication

December 14 2022



The space-frequency-polarization-division multiplexed wireless communication system, which can modulate different information on different carrier frequencies with different polarization states, and transmit them through different space channels independently and simultaneously. Credit: Science China Press

Since the concepts of digital coding metasurfaces and programmable metasurfaces were put forward in 2014, the physical world of electromagnetics has been closely connected to the digital world of information, thus producing the unique advantages of metasurface-based wireless communications.

In recent years, the proposal and development of time-domain coding metasurfaces (TDCMs) and space-time-coding metasurfaces (STCMs) have further enriched the electromagnetic modulation and digital process schemes and application scopes. However, most of metasurface-based wireless communication systems are only applicable for single-polarization scenarios, and the capacity of transmitted information is still limited.

In a new paper published in *National Science Review*, a team of scientists developed a frequency-polarization-division multiplexed wireless communication system and a space-frequency-polarization-division multiplexed wireless communication system based on anisotropic STCM.

This study was led by Prof. Tie Jun Cui and Prof. Qiang Cheng at the State Key Laboratory of Millimeter Waves, and Prof. Shi Jin at the National Mobile Communications Research Laboratory, Southeast University. The scientists designed a reflection-type polarization-independent phase-controllable anisotropic STCM.

When the rows and columns of the anisotropic STCM are biased by different time-varying control voltage sequences, the frequency-polarization-division multiplexed modulation and the space-frequency-polarization-division multiplexed modulation can be realized respectively.

On this basis, the scientists experimentally validated the real-time data

transmission capabilities of the frequency-polarization-division and the space-frequency-polarization-division multiplexed wireless communication systems, which confirms the practicability of the proposed wireless communication architectures.

First, the scientists converted two baseband signals into the linearly time-varying control voltage sequences with different slopes, respectively, and applied them to two polarization channels of the anisotropic STCM. In this way, two baseband signals can be modulated onto different polarization and harmonic frequency channels, realizing the frequency-polarization-division multiplexed modulation.

Furthermore, by introducing different delay gradients into the control voltage sequences of two polarization channels, the harmonic beams in two polarization directions can be steered to specified directions respectively, thereby realizing the space-frequency-polarization-division multiplexed modulations. For the experimental validations, these scientists summarized the results as follows:

"Firstly, we set up a frequency-polarization-division multiplexed wireless communication system in an indoor environment, and realized the independent and synchronous transmissions of two 480p resolution videos through this communication system. Subsequently, we set up a space-frequency-polarization-division multiplexed [wireless communication system](#), and realized the independent and synchronous data transmissions towards two different specified directions," the researchers write.

"Compared to the former metasurface-based wireless communication systems, our proposal improves the channel capacity and space utilization by using the space-frequency-polarization-division [multiplexing](#), which provides low-cost and high-integration scheme for constructing the multiple-user collaborative wireless [communication](#)

networks," the scientists said.

More information: Jun Chen Ke et al, Space-frequency-polarization-division multiplexed wireless communication system using anisotropic space-time-coding digital metasurface, *National Science Review* (2022). DOI: [10.1093/nsr/nwac225](https://doi.org/10.1093/nsr/nwac225)

Provided by Science China Press

Citation: Space-frequency-polarization-division multiplexing of information metasurface for powerful wireless communication (2022, December 14) retrieved 10 April 2024 from <https://techxplore.com/news/2022-12-space-frequency-polarization-division-multiplexing-metasurface-powerful-wireless.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--