

On the way to high-performance solid-state batteries: Researchers develop ultra-thin solid electrolyte

January 3 2023



Schematic representation: a) Fabrication of HPEs, b) design of interface-based core-shell and HPE enabled Li-ion diffusion, c) integrated HPEIClLi SSB, and d) advantages of HPEIC over free-standing solid electrolytes. Credit: *Advanced*



Energy Materials (2022). DOI: 10.1002/aenm.202202981

Operational reliability, durability and high energy density: In these respects, solid-state batteries are superior in principle to conventional liquid electrolyte lithium-ion batteries. Some of the problems standing in the way of widespread industrial application—in the field of electromobility, for example—are the poor interface compatibility between cathode and electrolyte and low ionic conductivity at room temperature.

An international team led by Prof. Dr. Seema Agarwal at the University of Bayreuth has now developed a solution: a very thin <u>solid electrolyte</u> consisting of a polymer-ceramic composite. The researchers present their discovery in the journal *Advanced Energy Materials*.

The solid electrolyte that the researchers developed is a combination of a polymer and ceramic nanofibers. This <u>composite material</u> is applied—very much like a coating—to the porous surface of the cathode. Here, it fills the tiny cavities, forming a solid electrolyte that has stable contact with the cathode and is only about seven micrometers thin.

Compared with earlier <u>solid-state batteries</u>, this new system is characterized by the fact that the electrolyte encloses the cathode particles like a shell. This creates a significantly improved interface, which has the added advantage of activating the ions in the cathode. Due to this modification, the new solid electrolyte increases the energy storage capacity of the batteries.

Another major advantage of this ultrathin solid electrolyte interacting with the cathode is that it greatly increases the operational reliability of



the batteries. "Conventional lithium-ion batteries that use liquid electrolytes repeatedly cause safety problems. There is always a risk that the electrolyte will leak, causing the battery to short circuit and fail. Cell phones, laptops and <u>electric vehicles</u> have already caught fire because of this, causing serious accidents.

"An additional problem is the growing of lithium on the anode, the socalled interface dendrites, which pierce the electrolyte and can lead to a short circuit or fire. All these risks are eliminated or at least significantly reduced by our ultra-thin composite solid electrolyte, which has high thermal stability," explains Prof. Dr. Seema Agarwal, Professor of Macromolecular Chemistry at the University of Bayreuth.

The lead author of the new study, Dr. Sivaraj Pazhaniswamy, points to another advantage: "If a thermally stable solid electrolyte is used instead of a flammable liquid electrolyte, it is possible to take full advantage of lithium as an anode material. Compared to other materials used in conventional liquid electrolyte batteries, lithium has highly attractive properties, such as high theoretical capacity and low electrochemical potential.

"Now that our new solid electrolyte has performed so excellently in its interactions with the <u>cathode</u>, we want to work toward optimizing the contacts between <u>electrolyte</u> and anode with a similar system."

More information: Sivaraj Pazhaniswamy et al, Hybrid Polymer Electrolyte Encased Cathode Particles Interface-Based Core–Shell Structure for High-Performance Room Temperature All-Solid-State Batteries, *Advanced Energy Materials* (2022). <u>DOI:</u> <u>10.1002/aenm.202202981</u>



Provided by Bayreuth University

Citation: On the way to high-performance solid-state batteries: Researchers develop ultra-thin solid electrolyte (2023, January 3) retrieved 10 September 2024 from <u>https://techxplore.com/news/2023-01-high-performance-solid-state-batteries-ultra-thin-solid.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.