


Highly performing lithium sulfur batteries based on metallic molybdenum disulfide nanosheets

January 24 2023, by Ingrid Fadelli



Credit: Li et al.

To reduce carbon emissions and still meet the growing demands of the

electronics industry, scientists will need to develop alternative battery technologies that are more durable, sustainable, and can store more energy. In recent years, they have thus been trying to develop alternative battery technologies using different material combinations.

Among the [battery technologies](#) that have proved to be most promising so far are lithium-sulfur (Li-S) batteries, which contain sulfur cathodes and lithium-metal anodes. These batteries could overcome some of the limitations associated with the conversion reactions in [lithium-ion batteries](#) (LiBs), ultimately achieving higher [energy](#) densities.

Despite their possible advantages, many Li-S battery designs introduced so far have not achieved the desired results. One reason for this is that the sulfur in the batteries needs to be loaded onto a conducting host, which is typically based on materials that were poorly wetted by electrolytes (e.g., most carbons). This impairs the diffusion of lithium ions in the batteries, reducing their overall capacity and performance.

Researchers at University of Cambridge and The Faraday Institution have recently developed highly performing Li-S batteries using nanosheets of lithiated metallic 1T phase molybdenum disulfide (Li_xMoS_2). Their design, outlined in a paper published in *Nature Energy*, offers great promise for the creation of next-generation battery solutions that can store more energy.

"Our recent paper is about a new material for Li-S batteries that can lead to superior energy densities," Zhuangnan Li, one of the researchers who carried out the study, told Tech Xplore. "It is based on the metallic phase of two-dimensional material, which our research group has been working on for more than 10 years."

The [battery design](#) introduced by Li and his colleagues build on the previous efforts by researchers at University of Cambridge. More

specifically, the team has developed highly promising electrodes based on Li_xMoS_2 nanosheets to create Li-S batteries that have numerous advantageous properties and characteristics.

"The key point of our design was to use minimum amount of electrolyte while keeping battery operation normal," Li explained. "This requires the sulfur host material to possess properties such as [high electrical conductivity](#), density, wettability, polarity for adsorption, and catalytically activity."

The researchers found that their lithiated nanosheets significantly improved the absorption of lithium polysulfides, while also enhancing the transport of lithium ions, accelerating electrochemical reactions and improving electrocatalytic activity, which supports the conversion of polysulfides in Li-S batteries. Combined, these advantages resulted in remarkable energy densities of 441 Wh kg^{-1} and 735 Wh l^{-1} , allowing the batteries to retain 85.2% of their capacity after 200 operating cycles.

"The high-energy and long-life Li-S batteries demonstrated in this work have great potential for the creation of next-generation of energy storage devices," Li added. "We now plan to provide more foundational knowledge and its translation into commercially feasible battery technology."

In initial trials, the new Li-S [battery](#) design introduced by this team of researchers achieved highly promising results, suggesting that it could help to achieve better performances and higher energy densities. Li and colleagues are now conducting further evaluations and exploring their technology's possible commercialization.

More information: Zhuangnan Li et al, Lithiated metallic molybdenum disulfide nanosheets for high-performance lithium–sulfur batteries, *Nature Energy* (2023). [DOI: 10.1038/s41560-022-01175-7](https://doi.org/10.1038/s41560-022-01175-7)

Goki Eda et al, Photoluminescence from Chemically Exfoliated MoS₂, *Nano Letters* (2011). [DOI: 10.1021/nl201874w](https://doi.org/10.1021/nl201874w)

Muharrem Acerce et al, Metallic 1T phase MoS₂ nanosheets as supercapacitor electrode materials, *Nature Nanotechnology* (2015). [DOI: 10.1038/nnano.2015.40](https://doi.org/10.1038/nnano.2015.40)

Damien Voiry et al, The role of electronic coupling between substrate and 2D MoS₂ nanosheets in electrocatalytic production of hydrogen, *Nature Materials* (2016). [DOI: 10.1038/nmat4660](https://doi.org/10.1038/nmat4660)

© 2023 Science X Network

Citation: Highly performing lithium sulfur batteries based on metallic molybdenum disulfide nanosheets (2023, January 24) retrieved 25 April 2024 from <https://techxplore.com/news/2023-01-highly-lithium-sulfur-batteries-based.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--