

Avoiding collisions with a new method learned from mariners

February 14 2023, by Andreas Schmitz



Credit: Pixabay/CC0 Public Domain

Preventing accidents by computing impending collisions of drones or cars: that is the goal of Darius Burschka. The professor at the Technical University of Munich (TUM) tracks every point in images generated by cameras carried by flying drones or cars on the road. In principle he applies the "constant bearing" technique traditionally used by navigators at sea.

The compound eye of a wasp gave Prof. Burschka an idea. By moving its body back and forth, the insect detects which objects are nearby and which ones are further away. In this way it builds a mental map as it flies.

Airspace and road traffic: 60 measurements a second for greater safety

A similar principle is applied in a solution with which Prof. Burschka, the Co-Head of the Perception Group at the Munich Institute of Robotics and Machine Intelligence (MIRMI) of TUM, tries to identify impending collisions of drones or cars with other objects. His [computer system](#) checks the image points from a camera 60 times per second and determines the "[collision](#) conditions."

"We track up to a million pixels of an image in real time," says Burschka. To compute this "optical flow," he does not need a supercomputer. Instead, he works with a "mere" high-performance graphic processor that handles the images, another process to calculate the collision paths, and a camera. The researcher explains, "We look at the detectable characteristics in the image and watch how they move across it."

Two-dimensional images as a foundation: Similar to the constant bearing approach at sea

To calculate the immediate danger of a collision, the TUM professor only needs [two-dimensional images](#) from a perspective like the one used by the wasp to fix individual points and perceive changes in them—or like a sailor applying the constant bearing method. With that method, a ship is determined to be on a [collision course](#) if the absolute bearing between approaching ships shows little or no change as the distance

decreases. "The best way of detecting a potential collision is to keep an eye on which surrounding objects are not moving," says Burschka.

The TUM scientist calculates where and in which direction objects fly past the camera, i.e. "penetrate the observational plane." In conventional applications, autonomous driving experts, for example, use several cameras to compute distances to nearby objects using vectors. "When the objects are far away from the camera, the 3D process is no longer reliable," explains Burschka. Changes in positions of points from one image to the next can no longer be seen.

Paradigm shift: Time to interaction replaces metric state analysis

With the new method, rapidly approaching objects still remote from the observer are recognized as more dangerous than others that are closer but moving in the same direction. "Instead of moving objects being prioritized by their motion alone, this is done on the basis of dynamic collision conditions," says Prof. Burschka.

All "features" in the image are now under observation and the potentially dangerous ones can be flagged accordingly. "We measure the 'time to interaction'—in other words, the time that will elapse before a collision occurs," he explains. The new method will enable scientists to analyze the paths of moving objects with just one [camera](#), which will also be in motion.

"Unlike metric reconstruction, this approach is much cheaper and more robust," Prof. Burschka says. The "time to interaction" approach would thus represent a [paradigm shift](#) in research. The professor plans to use his invention in drones, networked vehicles and service robotics.

More information: Ee Heng Chen et al, Estimating Dense Optical

Flow of Objects for Autonomous Vehicles, *2021 IEEE Intelligent Vehicles Symposium (IV)* (2021). [DOI: 10.1109/IV48863.2021.9575471](https://doi.org/10.1109/IV48863.2021.9575471)

Darius Burschka, Task Representation in Robots for Robust Coupling of Perception to Action in Dynamic Scenes, *Robotics Research* (2019). [DOI: 10.1007/978-3-030-28619-4_4](https://doi.org/10.1007/978-3-030-28619-4_4)

Provided by Technical University Munich

Citation: Avoiding collisions with a new method learned from mariners (2023, February 14)
retrieved 23 September 2023 from
<https://techxplore.com/news/2023-02-collisions-method-mariners.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.