


Testing the use of kombucha to make circuit boards

February 23 2023, by Bob Yirka



(a)



(b)


(a) Container with kombucha live mat on the surface of the liquid culture. (b) Dried mat. Credit: *arXiv* (2023). DOI: 10.48550/arxiv.2302.03984

A small international team of material and computer engineers has tested the possibility of using kombucha to make electronic circuit boards. Their paper, posted on the *arXiv* pre-print server, describes various methods of printing circuitry onto the dried mats.

Kombucha is a type of tea consumed by people around the world. It is made by adding a symbiotic culture of bacteria and yeast (SCOBY) to a container holding sugar water and flavorings and letting it brew for a couple of weeks. It is unique in that making a container of tea results in the creation of a second SCOBY—similar in some respects to the way that sourdough bread is made using a "starter."

The SCOBY used to make kombucha looks like a dead sea creature and has uses besides making tea. It is a mass of cellulose fiber, which makes it pliable. Some in the past have found that if dried, the mat that results can be used to make a kind of fabric. The research team had previously found that the mats could be also used to create what they describe as living kombucha mats that are capable of conducting electricity. For the new study, they wondered if the mats could be dried and used as the backing for circuit boards in functional, wearable devices.

To test this possibility, the team purchased several samples of kombucha and used them to grow their own SCOBY mats. Each of the mats were then air dried and tested in several ways. One of the initial tests was to determine if the mats would hold together in a way that would allow their use as a circuit backing material. The team found that they were more than robust, and in fact, would retain their shape when heated to temperatures as high as 200 degrees Celsius.



(a)



(b)



(c)



(d)



(e)



(f)

Exemplars of deposition of PEDOT:PSS circuits and measurements of electrical properties (a) PEDOT:PSS round pads at a fixed distance from each other with

interconnecting tracks (b) Aerosol Jet Printing nozzle (c) defined gap between tracks (d) spring loaded electrodes on PEDOT:PSS pads (e) spring loaded electrodes on surface of kombucha (f) hydration of PEDOT:PSS. Credit: *arXiv* (2023). DOI: 10.48550/arxiv.2302.03984

Satisfied that they were on to something, the team then tried printing circuits onto the mats using [conductive polymers](#) via an aerosol jet printer. They also tested them using a 3D printer. They found both approaches worked as they hoped. They found that they could even attach LEDs to the [circuit boards](#) and they would light up. They conclude that while more testing is required, it appears that [kombucha](#) mats are a viable option for creating wearable electronic devices.

More information: Andrew Adamatzky et al, Kombucha electronics, *arXiv* (2023). [DOI: 10.48550/arxiv.2302.03984](https://doi.org/10.48550/arxiv.2302.03984)

© 2023 Science X Network

Citation: Testing the use of kombucha to make circuit boards (2023, February 23) retrieved 19 April 2024 from <https://techxplore.com/news/2023-02-kombucha-circuit-boards.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
