


Controlling one-dimensional wormhole corrosion could help advance power plant designs

February 23 2023, by Ashley WennersHerron



Molten salt corroded a metal barrier, appearing disconnected on a slice view of the damage (right). Researchers imaged the corrosion in multiple dimensions and reconstructed the path the salt took through metal (left). Credit: Yang Yang/Penn State



It started with a mystery: How did molten salt breach its metal container? Understanding the behavior of molten salt, a proposed coolant for next-generation nuclear reactors and fusion power, is a question of critical safety for advanced energy production.

The multi-institutional research team, co-led by Penn State, initially imaged a cross-section of the sealed container, finding no clear pathway for the salt appearing on the outside. The researchers then used <u>electron</u> <u>tomography</u>, a 3D imaging technique, to reveal the tiniest of connected passages linking two sides of the solid container. That finding only led to more questions for the team investigating the strange phenomenon.

They published the answers on Feb. 22 in Nature Communications.


"Corrosion, a ubiquitous failure mode of materials, is traditionally measured in three dimensions or two dimensions, but those theories were not sufficient to explain the phenomenon in this case," said cocorresponding author Yang Yang, assistant professor of engineering science and mechanics and of <u>nuclear engineering</u> at Penn State. He is also affiliated with the National Center for Electron Microscopy at Lawrence Berkeley National Laboratory, as well as the Materials Research Institute at Penn State. "We found that this penetrating corrosion was so localized, it only existed in one dimension—like a wormhole."

Wormholes on Earth, unlike the hypothetical astrophysical phenomenon, are typically bored by insects like worms and beetles. They dig into the ground, wood or fruits, leaving one hole behind as they excavate an unseen labyrinth. The worm may return to the surface through a new hole. From the surface, it looks like the worm disappears at one point in space and time and reappears at another. Electron tomography could



reveal the hidden tunnels of the molten salt's route on a microscopic scale, whose morphology looks very similar to the wormholes.

To interrogate how the molten salt "digs" through metal, Yang and the team developed new tools and analysis approaches. According to Yang, their findings not only uncover a new mechanism of corrosion morphology, but also point to the potential of intentionally designing such structures to enable more <u>advanced materials</u>.



Molten salt penetrates various metal alloys in different patterns; oxide growth can form similar 1D morphology. From top left, clockwise: stainless steel corroded in salt, iron-nickel-chromium alloy corroded in salt, chromiummanganese-iron-cobalt-nickel alloy oxidized in air and nickel-aluminum alloy



oxidized in water. All the morphologies appear similar, covering partial grain boundaries. Credit: Yang Yang/Penn State

"Corrosion is often accelerated at specific sites due to various material defects and distinct local environments, but the detection, prediction and understanding of localized corrosion is extremely challenging," said cocorresponding author Andrew M. Minor, professor of materials science and engineering at the University of California Berkeley and Lawrence Berkeley National Laboratory.

The team hypothesized that wormhole formation is linked to the exceptional concentration of vacancies—the empty sites that result from removing atoms—in the material. To prove this, the team combined 4D scanning transmission electron microscopy with theoretical calculations to identify the vacancies in the material. Together, this allowed the researchers to map vacancies in the atomic arrangement of the material at the nanometer scale. The resulting resolution is 10,000 times higher than conventional detection methods, Yang said.

"Materials are not perfect," said co-corresponding author Michael Short, associate professor of nuclear science and engineering at the Massachusetts Institute of Technology (MIT). "They have vacancies, and the vacancy concentration increases as the material is heated, is irradiated or, in our case, undergoes corrosion. Typical vacancy concentrations are much less than the one caused by molten salt, which aggregates and serve as the precursor of the wormhole."

Molten salt, which can be used as a reaction medium for materials synthesis, recycling solvent and more in addition to a nuclear reactor coolant, selectively removes atoms from the material during corrosion, forming the 1D wormholes along 2D defects, called grain boundaries, in



the metal. The researchers found that molten salt filled the voids of various metal alloys in unique ways.

"Only after we know how the salt infiltrates can we intentionally control or use it," said co-first author Weiyue Zhou, postdoctoral associate at MIT. "This is crucial for the safety of many advanced engineering systems."

Now that the researchers better understand how the <u>molten salt</u> traverses specific metals—and how it changes depending on the <u>salt</u> and metal types—they said they hope to apply that physics to better predict the failure of materials and design more resistant materials.

"As a next step, we want to understand how this process evolves as a function of time and how we can capture the phenomenon with simulation to help understand the mechanisms," said co-author Mia Jin, assistant professor of nuclear engineering at Penn State. "Once modeling and experiments can go hand-in-hand, it can be more efficient to learn how to make new materials to suppress this phenomenon when undesired and utilize it otherwise."

More information: Yang Yang et al, One dimensional wormhole corrosion in metals, *Nature Communications* (2023). <u>DOI:</u> 10.1038/s41467-023-36588-9

Provided by Pennsylvania State University

Citation: Controlling one-dimensional wormhole corrosion could help advance power plant designs (2023, February 23) retrieved 3 May 2024 from <u>https://techxplore.com/news/2023-02-one-dimensional-wormhole-corrosion-advance-power.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.