

Researchers use lead recycled from car batteries to make photodetectors

February 2 2023



Researchers developed an environmentally friendly method to turn lead from used lead acid batteries into photodetectors operating in the UV-visible band. They created lead(II)iodide (PbI_2) microcrystals from the lead paste found in batteries using a one-pot solution process. Credit: Longxing Su, Southern University of Science and Technology

As lithium-ion batteries continue to decrease in price, they are quickly replacing the lead-acid batteries traditionally used in cars and other vehicles. This is creating a sudden abundance of used lead-acid batteries, which would be harmful to the environment and people if not recycled properly. To help deal with this problem, researchers developed an environmentally friendly method to turn lead from used lead-acid batteries into photodetectors operating in the UV-visible band.

"We believe this recycling strategy could significantly reduce the [lead](#)

[pollution](#) resulting from waste lead-[acid](#) batteries, which is important to the environment," said research team leader Longxing Su from Southern University of Science and Technology in China. "The photodetectors promote the recycling economy by creating a market for recycled lead. They can be used for a variety of applications including [optical communication](#), chemical analysis and imaging."

In the journal *Optics Letters*, Su and colleagues describe their process for extracting lead from discarded lead-acid batteries and then using it to synthesize lead(II)iodide (PbI_2) [microcrystals](#) suitable for use in photodetectors.

"The recycled PbI_2 microcrystals exhibit the quality and purity levels necessary for making photodetectors," said Su. "We also show that the microcrystals can be used to make photodetectors with excellent stability, repeatability and fast response speeds."



The recycled PbI_2 microcrystals exhibit the quality and purity levels necessary

for making photodetectors. The production of PbI_2 microcrystals at a kilogram scale is shown. Credit: Longxing Su, Southern University of Science and Technology


A new use for old batteries

Although the lead found in used lead-acid batteries can be recycled, most methods used for this are expensive and have various drawbacks. Su's research team developed a more efficient strategy to produce PbI_2 from the lead paste found within [lead-acid batteries](#).


To extract the lead from the paste, the researchers developed a one-pot process that requires only inexpensive, easily obtained chemicals and no commercial precursors, which would increase cost. The process involves placing the paste into a mixed solution with excess citric acid monohydrate, sodium citrate dihydrate and H_2O_2 . The excess sodium citrate dihydrate causes almost all the generated lead citrate to dissolve in the mixed solution. The mixture is then filtered to obtain a clear solution containing lead. When excess hydroiodic acid is added to the solution, it forms yellow PbI_2 precipitate, which is collected and dried in a vacuum.

The researchers then used a simple spin-coating process to create a photodetector using the PbI_2 produced through this process. They investigated the photo response of the photodetector using a 300 W Xe-lamp as a UV-Visible light source and a semiconductor parameter instrument as an electric signal collector. The PbI_2 [photodetector](#) they fabricated showed a low dark current of 1.06 nA and an on-off ratio of 103 under 10 V bias voltage.

(a)



(b)



The (a) schematic structure and (b) the working mechanism of the photodetector made from recycled PbI₂ microcrystals is shown. The photodetector showed excellent stability, repeatability and fast response speeds. Credit: Longxing Su, Southern University of Science and Technology

Next steps

The researchers are now working on scaling up their process to mass-produce recycled PbI_2 . Before commercialization, the recycled PbI_2 and photodetectors made from it would need to be verified by independent testing organizations and companies interested in incorporating the photodetectors into downstream products.

"We hope that our work will be noticed by chemical companies and downstream firms so that our method can be extended into the market," said Su. "Our green reactant recycling method may also be useful for other applications, such as making solar cells."

More information: Longxing Su et al, A photodetector fabricated from 2H-PbI₂ micro-crystals recycled from waste lead acid batteries, *Optics Letters* (2023). [DOI: 10.1364/OL.480972](https://doi.org/10.1364/OL.480972)

Provided by Optica

Citation: Researchers use lead recycled from car batteries to make photodetectors (2023, February 2) retrieved 20 March 2024 from <https://techxplore.com/news/2023-02-recycled-car-batteries-photodetectors.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--