


# Biocompatible zinc batteries with Zn-alginate polymer electrolyte

March 30 2023



The schematic illustration of in-situ preparation procedure, properties, and construction of Zn-Alg-5 polymer electrolyte using a wire-shaped Zn electrode for a Zn battery. Credit: Science China Press


Implantable and wearable electronics have opened an array of opportunities for controlling disease conditions and health monitoring, but the unceasing battery-induced safety poses a formidable barrier to application, especially for biomedical devices.

In many cases, there are potentially devastating complications associated with the toxic and unstable batteries lodged in the organics, resulting in corresponding liquefactive necrosis, tissue destruction, and explosively burn-related injuries. Therefore, biosafety energy storage systems are

urgently needed to be pay enough attentions.

Aqueous zinc-based (ZBs) batteries attract increasing attention for potential applications in modern wearable and [implantable devices](#) due to their intrinsic safety, high capacity, and stability. However, how to address the issues of biosafety design and inadequate electrochemical performances of ZBs need to be further improved when moving to practice, especially for wearable and biomedical devices.

In response to this challenge, recently, the energy team led by Professor Jiang Zhou from the Central South University (CSU), China, proposed a green and programmable electro-crosslinking strategy to prepare a Zn-alginate polymer [electrolyte](#) for biocompatible Zn batteries based on the superionic binding of alginate carboxylate groups with free-Zn<sup>2+</sup>, activated by electro-oxidation.



Biocompatibility and safety studies of batteries implanted in the rabbit. (a)

Schematic diagram of biocompatible applications using rabbit models. (b) Photographic picture of gastric walls and (c) the HE-stained section of its mucosa after the undamaged batteries were implanted in the stomach for 6 hours. Credit: Science China Press

By using this method, within a short time of 80 s, a stable polymer electrolyte with a regulated channel was directly obtained on the surface of metal Zn. The as-prepared electrolyte provides high reversibility of 99.65 % coulombic efficiency, over 500 h long-time stability.

Importantly, after 6 hours of exposure to the negative face of the battery cycled with the as-prepared gel electrolyte, minimal mucosal injury was observed in the rabbit models, showing that the as-prepared gel electrolyte is a biocompatible material that does not have any significant corrosion in the slightly acidic environment of the digestive system.

The new strategy to prepare the Zn-alginate polymer electrolyte has three prominent advantages over the conventional methods: (1) the cross-linking process for the synthesis of electrolytes avoids the introduction of any chemical reagents or initiators; (2) a highly reversible Zn battery is easily provided from a micrometer to large scales through automatic programmable strategy; and (3) high biocompatibility is capable of implanted and bio-integrated devices to ensure body safety.

The work is published in the journal *National Science Review*.

**More information:** Xuesong Xie et al, Biocompatible zinc battery with programmable electro-cross-linked electrolyte, *National Science Review* (2022). [DOI: 10.1093/nsr/nwac281](https://doi.org/10.1093/nsr/nwac281)

Provided by Science China Press

Citation: Biocompatible zinc batteries with Zn-alginate polymer electrolyte (2023, March 30)  
retrieved 23 April 2024 from

<https://techxplore.com/news/2023-03-biocompatible-zinc-batteries-zn-alginate-polymer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.