

Simulated terrible drivers cut the time and cost of AV testing by a factor of one thousand

March 22 2023



From left, Xintao Yan and Haojie Zhu, both civil engineering PhD students, conduct a test run of one of the autonomous vehicles at Mcity on North Campus of the University of Michigan in Ann Arbor on Wednesday, January 18, 2023. Credit: Brenda Ahearn/University of Michigan, College of Engineering, Communications and Marketing

The push toward truly autonomous vehicles has been hindered by the cost and time associated with safety testing, but a new system developed at the University of Michigan shows that artificial intelligence can reduce the testing miles required by 99.99%.

It could kick off a [paradigm shift](#) that enables manufacturers to more quickly verify whether their autonomous [vehicle](#) technology can save lives and reduce crashes. In a simulated environment, vehicles trained by [artificial intelligence](#) perform perilous maneuvers, forcing the AV to make decisions that confront drivers only rarely on the road but are needed to better train the vehicles.

To repeatedly encounter those kinds of situations for [data collection](#), real world test vehicles need to drive for hundreds of millions to hundreds of billions of miles.

"The safety [critical events](#)—the accidents, or the near misses—are very rare in the real world, and often time AVs have difficulty handling them," said Henry Liu, U-M professor of civil engineering and director of both Mcity and the Center for Connected and Automated Transportation, a regional transportation research center funded by the U.S. Department of Transportation.

U-M researchers refer to the problem as the "curse of rarity," and they're tackling it by learning from [real-world](#) traffic data that contains rare safety-critical events. Testing conducted on test tracks mimicking urban as well as highway driving showed that the AI-trained virtual vehicles can accelerate the testing process by thousands of times. The study appears on the cover of *Nature*.

"The AV test vehicles we're using are real, but we've created a mixed reality testing environment. The background vehicles are virtual, which allows us to train them to create challenging scenarios that only happen

rarely on the road," Liu said.

U-M's team used an approach to train the background vehicles that strips away nonsafety-critical information from the driving data used in the simulation. Basically, it gets rid of the long spans when other drivers and pedestrians behave in responsible, expected ways—but preserves dangerous moments that demand action, such as another driver running a red light.

By using only safety-critical data to train the [neural networks](#) that make maneuver decisions, test vehicles can encounter more of those rare events in a shorter amount of time, making testing much cheaper.

"Dense reinforcement learning will unlock the potential of AI for validating the intelligence of safety-critical autonomous systems such as AVs, medical robotics and aerospace systems," said Shuo Feng, assistant professor in the Department of Automation at Tsinghua University and former assistant research scientist at the U-M Transportation Research Institute.

"It also opens the door for accelerated training of safety-critical autonomous systems by leveraging AI-based testing agents, which may create a symbiotic relationship between testing and training, accelerating both fields."

And it's clear that training, along with the time and expense involved, is an impediment. An October Bloomberg article stated that although robotaxi leader Waymo's vehicles had driven 20 million miles over the previous decade, far more data was needed.

"That means," the author wrote, "its cars would have to drive an additional 25 times their total before we'd be able to say, with even a vague sense of certainty, that they cause fewer deaths than bus drivers."

Testing was conducted at Mcity's urban environment in Ann Arbor, as well as the highway test track at the American Center for Mobility in Ypsilanti.

Launched in 2015, Mcity, was the world's first purpose-built test environment for connected and autonomous vehicles. With new support from the National Science Foundation, outside researchers will soon be able to run remote, mixed reality tests using both the simulation and physical [test](#) track, similar to those reported in this study.

Real-world data sets that support Mcity simulations are collected from smart intersections in Ann Arbor and Detroit, with more intersections to be equipped. Each intersection is fitted with privacy-preserving sensors to capture and categorize each road user, identifying its speed and direction.

More information: Henry Liu, Dense reinforcement learning for safety validation of autonomous vehicles, *Nature* (2023). [DOI: 10.1038/s41586-023-05732-2](https://doi.org/10.1038/s41586-023-05732-2).
www.nature.com/articles/s41586-023-05732-2

Colin Paterson et al, Hazards help autonomous cars to drive safely, *Nature* (2023). DOI: 10.1038/d41586-023-00798-4 ,
www.nature.com/articles/d41586-023-00798-4

Provided by University of Michigan

Citation: Simulated terrible drivers cut the time and cost of AV testing by a factor of one thousand (2023, March 22) retrieved 13 March 2024 from
<https://techxplore.com/news/2023-03-simulated-terrible-drivers-av-factor.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.