

## Drones navigate unseen environments with liquid neural networks

April 19 2023, by Rachel Gordon



Makram Chahine, a PhD student in electrical engineering and computer science and an MIT CSAIL affiliate, leads a drone used to test liquid neural networks. Credit: Mike Grimmett/MIT CSAIL

In the vast, expansive skies where birds once ruled supreme, a new crop



of aviators is taking flight. These pioneers of the air are not living creatures, but rather a product of deliberate innovation: drones. But these aren't your typical flying bots, humming around like mechanical bees. Rather, they're avian-inspired marvels that soar through the sky, guided by liquid neural networks to navigate ever-changing and unseen environments with precision and ease.

Inspired by the adaptable nature of organic brains, researchers from MIT's Computer Science and Artificial Intelligence Laboratory (CSAIL) have introduced a method for robust flight navigation agents to master vision-based fly-to-target tasks in intricate, unfamiliar environments. The liquid neural networks, which can continuously adapt to new data inputs, showed prowess in making reliable decisions in unknown domains like forests, urban landscapes, and environments with added noise, rotation, and occlusion. These adaptable models, which outperformed many state-of-the-art counterparts in navigation tasks, could enable potential real-world drone applications like search and rescue, delivery, and wildlife monitoring.

The researchers' recent study, published today in *Science Robotics*, details how this new breed of agents can adapt to significant distribution shifts, a long-standing challenge in the field. The team's new class of <u>machinelearning algorithms</u>, however, captures the causal structure of tasks from high-dimensional, unstructured data, such as pixel inputs from a dronemounted camera. These networks can then extract crucial aspects of a task (i.e., understand the task at hand) and ignore irrelevant features, allowing acquired navigation skills to transfer targets seamlessly to new environments.

"We are thrilled by the immense potential of our learning-based control approach for robots, as it lays the groundwork for solving problems that arise when training in one environment and deploying in a completely distinct environment without additional training," says Daniela Rus,



CSAIL director and the Andrew (1956) and Erna Viterbi Professor of Electrical Engineering and Computer Science at MIT.

"Our experiments demonstrate that we can effectively teach a drone to locate an object in a forest during summer, and then deploy the model in winter, with vastly different surroundings, or even in urban settings, with varied tasks such as seeking and following. This adaptability is made possible by the causal underpinnings of our solutions. These flexible algorithms could one day aid in <u>decision-making</u> based on data streams that change over time, such as medical diagnosis and autonomous driving applications."

A daunting challenge was at the forefront: Do machine-learning systems understand the task they are given from data when flying drones to an unlabeled object? And, would they be able to transfer their learned skill and task to new environments with drastic changes in scenery, such as flying from a forest to an urban landscape?

What's more, unlike the remarkable abilities of our biological brains, deep learning systems struggle with capturing causality, frequently overfitting their <u>training data</u> and failing to adapt to new environments or changing conditions. This is especially troubling for resource-limited embedded systems, like aerial drones, that need to traverse varied environments and respond to obstacles instantaneously.

The liquid networks, in contrast, offer promising preliminary indications of their capacity to address this crucial weakness in deep learning systems. The team's system was first trained on data collected by a human pilot, to see how they transferred learned navigation skills to new environments under drastic changes in scenery and conditions. Unlike traditional neural networks that only learn during the training phase, the liquid neural net's parameters can change over time, making them not only interpretable, but more resilient to unexpected or noisy data.



In a series of quadrotor closed-loop control experiments, the drones underwent range tests, stress tests, target rotation and occlusion, hiking with adversaries, triangular loops between objects, and dynamic target tracking. They tracked moving targets, and executed multi-step loops between objects in never-before-seen environments, surpassing performance of other cutting-edge counterparts.

The team believes that the ability to learn from limited expert data and understand a given task while generalizing to new environments could make autonomous drone deployment more efficient, cost-effective, and reliable. Liquid neural networks, they noted, could enable autonomous air mobility drones to be used for environmental monitoring, package delivery, autonomous vehicles, and robotic assistants.

"The experimental setup presented in our work tests the reasoning capabilities of various deep learning systems in controlled and straightforward scenarios," says MIT CSAIL Research Affiliate Ramin Hasani. "There is still so much room left for future research and development on more complex reasoning challenges for AI systems in autonomous navigation applications, which has to be tested before we can safely deploy them in our society."

"Robust learning and performance in out-of-distribution tasks and scenarios are some of the key problems that machine learning and autonomous robotic systems have to conquer to make further inroads in society-critical applications," says Alessio Lomuscio, professor of AI safety in the Department of Computing at Imperial College London.

"In this context, the performance of liquid neural networks, a novel braininspired paradigm developed by the authors at MIT, reported in this study is remarkable. If these results are confirmed in other experiments, the paradigm here developed will contribute to making AI and robotic systems more reliable, robust, and efficient."



Clearly, the sky is no longer the limit, but rather a vast playground for the boundless possibilities of these airborne marvels.

**More information:** Makram Chahine et al, Robust flight navigation out of distribution with liquid neural networks, *Science Robotics* (2023). DOI: 10.1126/scirobotics.adc8892

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Drones navigate unseen environments with liquid neural networks (2023, April 19) retrieved 8 May 2024 from https://techxplore.com/news/2023-04-drones-unseen-environments-liquid-neural.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.