


Researchers develop safety monitoring system for construction sites

April 21 2023, by Rebeca Hawley



Graphical rendering of the experiment in which the red box indicates where the truck is not allowed to enter. Credit: University of Houston

University of Houston computer scientists have developed a new system to keep construction workers safe at job sites. Their findings and process are laid out in a study published in the journal *Applied Sciences*.

According to the Occupational Safety and Health Administration, 4,764 workers died on the job in 2020. Employees in construction and extraction occupations accounted for 20% of those deaths. Many were struck by a vehicle or mobile machinery on construction sites. Although the [construction industry](#) has enlisted the help of safety experts, a great number of fatalities and injuries still occur.

"The point of our research project was to enhance safety of workers and equipment on a [construction site](#) by tracking their location," said Alireza Ansaripour, a computer science doctoral student at UH and first author of the study. "By tracking their location, we can monitor location-based policies related to the safety of workers and equipment in construction sites."

These location-based safety policies are created during the planning stage of the construction site such as when Internal Traffic Control Plans are made. These policies define safe areas for workers and equipment or define a safe distance between them when equipment is operating in the construction site. ViPER+ automates the monitoring of these policies and detects any violations of the policies while workers and equipment are working.

ViPER+ utilizes ultra-wideband technology for location tracking. "These radios use large bandwidths to communicate, which enables them to perform location tracking more accurately compared to other wireless radios," Ansaripour said. "This was the technology we used to track the locations of workers and equipment."

The team's ViPER+ system surmounts challenges of other ultra-

wideband based real-time safety monitoring systems primarily because it overcomes non-line of sight situations. These are instances in which trucks, construction loaders and other equipment block the signal between the transmitter and receiver in ultra-wideband radio transmissions.

Ansari pour and his colleagues implemented a correction method in their localization, or location tracking algorithm to reduce the error caused by non-line of sight.

Testing ViPER+ in construction zones

ViPER+ is an updated and improved version of the group's initial system ViPER. The greatest difference between the two is the enhanced location tracking on ViPER+, which is more accurate in non-line of sight situations.



Construction truck with a ultra-wideband tag that allows students to monitor its location. Credit: University of Houston

The team tracked locations through tags and anchors. Tags are small ultra-wideband radio transmitters, mounted to workers and vehicles to monitor their locations. Anchors are ultra-wideband receivers that receive signals from tags. The researchers then collected data from anchors to their computer server and estimated the location of vehicles and people in a construction site.

They tested their system twice in actual construction zones in Houston that was cordoned off for their experiment. But instead of real [construction workers](#), students had to play that part.

"In our evaluation, all four construction workers had tags mounted. We also had one vehicle, either a truck or bulldozer with multiple tags on it, and another static vehicle was used to create a non-line of sight situation."

The first evaluation was in 2019 when researchers set up tags in an area about 8,600 square feet called the tracking zone. Four students operated as workers in the tracking zone while Ansaripour was managing the data flow of the system and made sure the experiment ran smoothly. In 2022, a similar scenario was set up but at a different construction site.

"Alireza is one of those students with brilliant ideas and the work ethic to see these ideas to fruition," said Omprakash Gnawali, associate professor of computer science at the UH College of Natural Sciences and Mathematics and co-author of the study. "Having that combination is important to get these technical projects to be successful."

Future improvements

Future changes to the system include ironing out user design issues such as alerting construction workers when they are too close to moving machinery.

"We also have an issue creating a tracking zone that covers all of a construction site, not just a portion of it," said Ansaripour. "There are still some improvements that need to be made for this to become a commercial product, but our work provides insight on how a real-time safety monitoring system can be used for safety tracking in [construction sites](#)."

More information: Alireza Ansaripour et al, ViPER+: Vehicle Pose Estimation Using Ultra-Wideband Radios for Automated Construction Safety Monitoring, *Applied Sciences* (2023). [DOI: 10.3390/app13031581](https://doi.org/10.3390/app13031581)

Provided by University of Houston

Citation: Researchers develop safety monitoring system for construction sites (2023, April 21) retrieved 26 July 2024 from <https://techxplore.com/news/2023-04-safety-sites.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--