


The next generation of solar energy collectors could be rocks

May 30 2023



Petrographic image for (a) CG, (b) UG, (c) CS, and (d) US, respectively. Qz = quartz, Mu = muscovite, Bi = biotite, Al = albite, Chl = chlorite, An = anorthite, Tlc = talc, Mgs = magnesite, Cl = clinocllore, Mag = magnetite, Mgf = magnesioferrite. Credit: *ACS Omega* (2023). DOI: 10.1021/acsomega.3c00314

The next generation of sustainable energy technology might be built from some low-tech materials: rocks and the sun. Using a new approach known as concentrated solar power, heat from the sun is stored then used to dry foods or create electricity. A team reporting in *ACS Omega* has found that certain soapstone and granite samples from Tanzania are well suited for storing this solar heat, featuring high energy densities and stability even at high temperatures.

Energy is often stored in large batteries when not needed, but these can be expensive and require lots of resources to manufacture. A lower-tech alternative is [thermal energy storage](#) (TES), which collects energy as heat in a liquid or solid, such as water, oil or rock. When released, the heat can power a generator to produce electricity. Rocks such as [granite](#) and soapstone are specifically formed under [high heat](#) and found across the globe, which might make them favorable TES materials.

However, their properties can vary greatly based on where in the world they were formed, possibly making some samples better than others. In Tanzania, the Craton and Usagaran geological belts meet, and both contain granite and soapstone. So, Lilian Deusdedit Kakoko, Yusufu Abeid Chande Jande and Thomas Kivevele from Nelson Mandela African Institution of Science and Technology and Ardhi University wanted to investigate the properties of soapstone and granite found in each of these belts.

The team collected several rock samples from the belts and analyzed them. The granite samples contained a large amount of silicon oxides, which added strength. However, the Craton granite contained other compounds, including muscovite, which are susceptible to dehydration and could make the rock unstable at high temperatures.

Magnesite was found in the soapstone, which conferred a high density and thermal capacity. When heated to temperatures over 1800 degrees

Fahrenheit, both soapstone samples and the Usagaran granite had no visible cracks, but the Craton granite fell apart. Additionally, the soapstone was more likely to release its stored heat than the granite. In all, the Craton soapstone had the best performance as a TES, able to absorb, store and transmit heat effectively while maintaining good chemical stability and mechanical strength.

However, the other rocks might be better suited for a lower-energy TES application, such as a solar dryer. The researchers say that though further experiments are needed, these samples show good promise in being a sustainable energy storage material.

More information: Lilian Deusdedit Kakoko et al, Experimental Investigation of Soapstone and Granite Rocks as Energy-Storage Materials for Concentrated Solar Power Generation and Solar Drying Technology, *ACS Omega* (2023). [DOI: 10.1021/acsomega.3c00314](https://doi.org/10.1021/acsomega.3c00314)

Provided by American Chemical Society

Citation: The next generation of solar energy collectors could be rocks (2023, May 30) retrieved 25 April 2024 from <https://techxplore.com/news/2023-05-generation-solar-energy-collectors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.